



#### RESOURCE AND PATIENT MANAGEMENT SYSTEM

# Documentation, Coding, and Billing (Guidance for Coronavirus 2019)

(RPMS)

**Configuration and Data Capture Guide** 

Version 1 April 2020

Office of Information Technology Division of Information Technology

# **Table of Contents**

Introdu	ction	1	
1.1	Disclosure of Current Procedural Terminology (CPT) Use	1	
Coding	for Coronavirus 2019 (COVID-19)	2	
2.1	International Classification of Diseases Tenth Edition Clinical Modification (ICD-10-CM)	2	
2.1.1	COVID-19 in Pregnancy, Childbirth, and Puerperium	3	
2.2	(CPT)	4	
2.3			
_			
2.5.4			
2.5.5			
2.6	IHS Coding Listserv	12	
Introdu	ction to the Toolkit	13	
3.1			
_			
	·		
Service	e Category	19	
Review	RPMS-EHR Parameters	20	
6.1			
6.2	RPMS PCC EHR Coding Queue Parameter (CASP)	22	
Create/	Review Clinics	25	
7.1	Clinic Workflow Considerations	25	
7.2			
7.2.1 7.2.2			
Create	New Note Titles: Virtual Check-In and Telemedicine	31	
Create	Import EHR Progress Note Templates	33	
Create	Create EHR Quick Notes		
Develo	p/Import Pick Lists	40	
	1.1 Coding 2.1 2.1.1 2.2 2.3 2.4 2.5.2 2.5.3 2.5.4 2.5.5 2.6 Introdu 3.1 3.2 3.3 Clinic C Service Review 6.1 6.2 Create/7.1 7.2.1 7.2.2 Create Create/Create/Create/10.1.1 10.1.2	Coding for Coronavirus 2019 (COVID-19)	

	11.1	Develop/Import Patient Education Pick Lists	
	11.2	Develop/Import EHR Problem Management - Integrated Problem List	_
		SNOMED Picklist	
	11.3	Imported CPT Picklists Available in Toolkit	
		Telemedicine	
		Virtual Check-In	
		Virtual E-Visits	
		TeleBehavioral Health	
	11.3.5	Tele-Inpatient/ER Follow-Up	47
12.0	Billing	Code Updates	48
	12.1	CPT Code	48
	12.2	HCPCS Billing Codes	49
	12.3	ICD-10 Diagnosis Coding	49
	12.4	Clinic Stop Codes	50
13.0	IHS Res	sponse Including the Office of Information Technology (OIT)	. 51
14.0		uidance	
14.0			-
	14.1 14.1.1	RPMS Billing Set up	
		Coverage Type Maintenance	
		The Insurer File	
		Place of Service Codes (POS)	
		Fee Schedules	
	14.2.1		
	14.3	Addition of a Pending Status Code	
15.0	What is	Seen in RPMS	. 67
	15.1	Service Categories	
	15.2	Clinic Stop Codes	
	15.3	Coding Que	
		Third Party Billing	
		UB-04 Point of Origin and Discharge Status Codes	
	15.4.2	Visit Location	69
	15.4.3	Laboratory Services	69
Appe	ndix A:	References	. 71
Cont	act Infor	mation	72

# **Revision History**

Version	Date	Author	Section	Page Number	Summary of Change
1	April 2020	National Council of Informatics	All Sections	All	Original publication
	April 2020	Janice Chase / Jacqueline Reyes	Coding Section	All	Editing introduction; adding Coding piece
	April 2020	Adrian Lujan / Robin Bartlett / Kathy Steele	All Sections	All	Original publication

#### **Preface**

This guide is for staff at IHS Tribal Urban (I/T/U) locations. As always, follow your local, state, and federal documentation, coding and reimbursement guidelines. Monitor all notices and publications from the Centers for Disease Control and Prevention (CDC), the Centers for Medicare and Medicaid Services (CMS), and State Medicaid offices.

This is an evolving guidance and will be modified as more information becomes available.

### 1.0 Introduction

Clinical Informatics, Health Information Management (HIM), Business Office (BO), and Office of Information Technology (OIT) subject matter experts (SMEs) have collaborated with this guidance to assist providers and staff to capture visit information during the COVID-19 pandemic.

Telemedicine/health services have been expanded and as new information is distributed by authorities this guide may become superseded.

**Important:** It is emphasized that staff at the local level provide the best advice in determining how individual sites incorporate expanded services into their workflows due to the COVID-19 pandemic.

## 1.1 Disclosure of Current Procedural Terminology (CPT) Use

Application FARS/DFARS Restrictions Apply to Government Use

U.S. Government Rights

CPT is commercial technical data and/or computer databases and/or commercial computer software and/or commercial computer software documentation, as applicable, which were developed exclusively at private expense by the American Medical Association (AMA), 330 N. Wabash Ave., Suite 39300, Chicago, IL 60611-5885.

U.S. Government rights to use, modify, reproduce, release, perform, display, or disclose these technical data and/or computer databases and/or computer software and/or computer software documentation are subject to the limited rights restrictions of DFARS 252.227-7015 (b) (2) (November 1995) and/or subject to the restrictions of DFARS 227.7202-1 (a) (June 1995) and DFARS 227.7202-3 (a) (June 1995), as applicable for U.S. Department of Defense procurements and the limited rights restrictions of FAR 52.227-14 (June 1987) and/or subject to the restricted rights provisions of FAR 52.227-14 (June 1987) and FAR 52.227-19 (June 1987), as applicable, and any applicable agency FAR Supplements, for non-Department of Defense Federal procurements.

# 2.0 Coding for Coronavirus 2019 (COVID-19)

# 2.1 International Classification of Diseases Tenth Edition Clinical Modification (ICD-10-CM)

The CDC announced on March 30, 2020 the <u>Final ICD-10-CM Official Coding and Reporting Guidelines for April 1, 2020 to September 30, 2020</u>. The final guidance relates to the new Code U07.01 COVID-19.

Prior to April 1, 2020, the <u>CDC ICD-10-CM Official Coding Guidelines – Supplement Coding encounters related to COVID-19 Coronavirus Outbreak effective February 20, 2020, did not include the new U07.01 COVID-19 Code.</u>

When using the code U07.01 COVID-19, it is important to use additional codes to identify pneumonia or other manifestations. This excludes:

- Coronavirus infection, unspecified (B34.2)
- Pneumonia due to SARS-1 associated coronavirus (J12.81)

Do not code B34.2 Coronavirus infection, unspecified, for COVID-19, as this is documented to be a respiratory condition.

**Important:** COVID-19 is a Coronavirus, but not all Coronaviruses are COVID-19.

Assign code U07.01 COVID-19 only for confirmed diagnosis as documented by the provider, documented positive COVID-19 test result or a presumptive positive COVID-19 test result. This is an exception to the hospital inpatient guideline Section II, H. In this context, "confirmation" does not require documentation of the type of test performed; the provider's documentation that the individual has COVID-19 is sufficient. A presumptive positive test result means an individual has tested positive for the virus at a local or state level, but it has not yet been confirmed by the CDC. CDC confirmation to local and state test is no longer required.

Provider documentation must include:

- Confirmed positive test for COVID-19 for code U07.01
   If the provider documents suspected, possible, probable, or inconclusive do not assign code U07.01.
- Assign the code for the purpose of the visit, such as fever or Z20.828 contact with and (suspected) exposure to other viral communicable diseases.
- Associated respiratory conditions
- Identify if infection was present on admission

• Document comorbidities such as respiratory failures, ARDS, COD, etc.

### 2.1.1 COVID-19 in Pregnancy, Childbirth, and Puerperium

During pregnancy, childbirth, or the puerperium period, if a patient is admitted or presenting for visit because of COVID-19:

- Principle Diagnosis: O98.5, Other viral diseases complicating pregnancy, childbirth, and the puerperium
- Secondary diagnosis: U07.01 COVID-19 and the appropriate codes for associated manifestation(s).

**Note:** Codes from Chapter 15 always take sequencing priority.

Table 2-1: Coding Tips for ICD-10-CM

Prior to April 1, 2020	On April 1, 2020
Pneumonia confirmed as due to COVID-19:	Pneumonia confirmed as due to COVID-19:
JI2.89 Other viral pneumonia	U07.1 COVID-19
B97.29 other Coronavirus as cause of diseases classified elsewhere	J12.89 Other viral pneumonia
Acute bronchitis confirmed as due to COVID-19:	Acute bronchitis confirmed as due to COVID-19:
J20.8 Acute Bronchitis due to other	U07.1 COVID-19
specific organisms B97.29 Other Coronavirus as cause of disease classified elsewhere	J20.8 Acute bronchitis due to other specific organisms
Unspecified Bronchitis confirmed as due to COVID-19:	Unspecified Bronchitis confirmed as due to COVID-19:
J40 Bronchitis not specified as acute or	U07.1 COVID-19
chronic	J40 Bronchitis not specified as acute or
B97.29 Other Coronavirus as cause of diseases classified elsewhere	chronic
Acute or lower respiratory infection confirmed	Acute or lower respiratory infection
as due to COVID-19:	confirmed as due to COVID-19:
J22 Unspecified acute lower respiratory infection	U07.1 COVID-19
	J22 Unspecified acute lower respiratory infection
B97.29 Other Coronavirus as cause of diseases classified elsewhere	intection
Respiratory infection NOS confirmed as due to COVID-19:	Respiratory infection NOS confirmed as due to COVID-19:
J98.8 Other specified respirator disorder	U07.1 COVID-19
B97.29 Other Coronavirus as cause of diseases classified elsewhere	J98.8 Other specified respirator disorder

ARDS confirmed as due to COVID-19: J80 Acute respiratory distress syndrome B97.29 Other Coronavirus as cause of diseases classified elsewhere	ARDS confirmed as due to COVID-19: U07.1 COVID-19 J80 Acute respiratory distress syndrome
Possible exposure to COVID-19, ruled out after evaluation:	Possible exposure to COVID-19, ruled out after evaluation:
Z03.818 Encounter for observation for suspected exposure to other biological agents, ruled out	Z03.818 Encounter for observation for suspected exposure to other biological agents, ruled out
Exposure to COVID-19 NOT RULED OUT (exposed to someone with confirmed COVID-19):	Exposure to COVID-19 NOT RULED OUT (exposed to someone with confirmed COVID-19):
Z20.828 Contact with and (suspected) exposure to other viral communicable disease.	Z20.828 Contact with and (suspected) exposure to other viral communicable disease.
Signs/Symptoms:	Signs/Symptoms:
If a definitive diagnosis has not been established, code only the signs and symptoms, i.e. cough, shortness of breath, fever, etc.	If a definitive diagnosis has not been established, code only the signs and symptoms, i.e. cough, shortness of breath, fever, etc.
Suspected/possible/probable COVID-19:	Suspected/possible/probable COVID-19:
Do not code B97.29. Use signs/symptoms or Z20.828	Do not code U07.1. Use signs/symptoms or Z20.828

For further CDC ICD-10-CM updates and announcements:

https://www.cdc.gov/nchs/icd/icd10cm.htm

# 2.2 American Medical Association (AMA) Current Procedural Terminology (CPT)

The AMA has published Special Coding Advice during COVID-19 Public Health Emergency. This includes 18 scenarios to assist providers and coders with Evaluation and Management (E&M) codes and a new CPT code for laboratory testing 87635 (Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), Amplified probe technique) CPT Assistant – Official Source for CPT Coding Guidance: AMA Fact Sheet: Reporting Severe Acute Respiratory Syndrome Coronavirus (SARS-CoV-2) Laboratory Testing, Special Edition-Volume 30, 2020.

A comparison reporting tool is also available: <u>CPT Reporting for COVID-19 Testing</u>.

# 2.3 CMS Healthcare Common Procedure Coding System (HCPCS)

CMS established Level II HCPCS codes, effective with line-item date of service on or after February 4, 2020:

- U0001 CDC 2019 novel coronavirus (2019-ncov) real-time rt-pcr diagnostic panel
- U0002 2019-ncov coronavirus, sars-cov-2/2019-ncov (covid-19), any technique, multiple types or subtypes (includes all targets), non- CDC

The following two codes are effective March 1, 2020.

**Note:** These two codes were distributed on 3/31/2020 by CMS and NOT available in RPMS; OIT will release an off-cycle CPT file expected by 4/30/2020).

- G2023 Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source
- G2024 Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), from an individual in a skilled nursing facility or by a laboratory on behalf of a home health agency, any specimen source

# 2.4 Systematized Nomenclature of Medicine-Clinical Terms (SNOMED-CT)

On March 27, 2020, DTS Cycle 39 included two (2) mapped SNOMED-CT codes. For a complete update of SNOMED-CT, the interim release is available at:

SNOMED-CT information Systematized Nomenclature of Medicine-Clinical Terms (SNOMED-CT)

TI COOPE LANG	D
IMPORTANT:	Due to the timing of code set releases and
	development efforts, SNOMED and ICD COVID-
	19 codes are not completely mapped for the
	Electronic Health Record Integrated Problem List
	(IPL). The new ICD code of U07.1 was released
	in AUM V20 P2 but couldn't be mapped for the
	IPL. Therefore, coders must enter the ICD
	U07.1 in the Patient Care Component (PCC).
	Reference Table 2-1 Coding Tips for ICD-10-
	CM.

**ICD 10 CM** Release SCTID **FSN ICD 10** Package **Date** CM Term DTS Cycle B97.29 3/27/2020 840539006 Other Disease 39 caused by coronavirus 2019 novel coronavirus (disorder) DTS Cycle 3/27/2020 840546002 Exposure to Z20.828 Contact with 2019 novel and coronavirus (suspected) exposure to other viral communicable diseases

Table 2-2: Mapped SNOMED to ICD Codes in RPMS

### 2.5 Public Health Emergency – Telehealth

Any patient, regardless of where they are located, may receive telehealth services, such as nursing homes, hospital outpatient departments, patient's home, and other areas. This expansion is effective March 6, 2020 and is set for the duration of the COVID-19 Public Health Emergency. Telehealth is NOT restricted to COVID-19 diagnosis.

#### 2.5.1 Definitions

- **Distant Site:** The site at which the physician or other licensed practitioner delivering the service is located at the time the service is provided via telecommunications system (where the provider is).
- E-Visits: A communication between a patient and their provider through an online patient portal.
- Originating Site: The location of the patient at the time the service furnished via a telecommunications system occurs (where the patient is). For the purpose of this public emergency, home will be temporarily allowed.
- **Telehealth:** A visit with a provider that uses telecommunication systems between a provider and a patient.
- Virtual Check-in: A brief check in with your provider via telephone or other communications device to decide whether an office visit or other service is needed. A remote evaluation of recorded video and/or images submitted by an established patient. Virtual check-ins can be conducted with a broader range of communication methods, unlike Medicare telehealth visits, which require audio and visual capabilities for real-time communication. Effective March 30, 2020, doctors can provide these services to both new and established patients.

# 2.5.2 Different Types of Traditional Telehealth Delivery

- Store-and-forward (Asynchronous): Acquiring and storing clinical information (data, images, sound, etc.) that is forwarded (or retrieved by) another site for clinical evaluation.
- Real-time (Live Synchronous) interactive: Interactive audio and video telecommunications systems that permits real-time communication between the provider and the patient.

Table 2-3: Telehealth Coding

Type of Service	HCPCS/CPT Codes
Telehealth	99201-99215 – (office or other outpatient visits) For a complete list: <a href="https://www.cms.gov/Medicare/Medicare-General-Information/Telehealth/Telehealth-codes">https://www.cms.gov/Medicare/Medicare-General-Information/Telehealth/Telehealth-codes</a> G0425-G0427 – (Telehealth consultation, emergency department or initial inpatient). G0406-G0408 – (Follow-up inpatient telehealth consultations furnished to beneficiaries in hospitals or SNFs).
Virtual Check-In	Virtual Check-In services, or brief check-ins between a patient and their doctor by audio or video device, could previously only be offered to patients that had an established relationship with their doctor.  Effective March 30, 2020, doctors can provide these services to both new and established patients.
	https://www.cms.gov/newsroom/fact-sheets/additional-backgroundsweeping-regulatory-changes-help-us-healthcare-system-address-covid-19-patient  Check third party billing guidelines for new patients using virtual
	check-in service for the appropriate code and/or modifier.  New or Established Patient – Telephone:
	<b>99441:</b> Telephone evaluation and management service provided by a physician to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.
	<b>99442:</b> Telephone evaluation and management service provided by a physician to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.
	<b>99443:</b> Telephone evaluation and management service provided by a physician to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or

soonest available appointment; 21-30 minutes of medical discussion.

# For non-physician services, such as optometry, Behavioral Health

**98966:** Telephone assessment and management service provided by a qualified non-physician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.

**98967:** Telephone assessment and management service provided by a qualified non-physician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.

**98968:** Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.

**G2010** – Remote evaluation of recorded video and/or images submitted by an established patient (**e.g., store and forward**), including interpretation with follow-up with the patient within 24 business hours, not originating from a related e/m service provided within the previous 7 days, nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment.

**G2012** – The practitioner may respond to the patient's concern by telephone, audio/video, secure text messaging, email, or use of a patient portal.

#### **E-Visits**

Medicare Part B also pays for E-visits or patient-initiated online evaluation and management conducted via a patient portal. Practitioners who may independently bill Medicare for evaluation and management visits (for instance, physicians and nurse practitioners) can bill the following codes:

#### **New or Established Patients:**

**99421** – Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5–10 minutes.

**99422** – Online digital evaluation and management service, for an established patient, for up to 7 days cumulative time during the 7 days; 11–20 minutes.

**99423** – Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes.

Clinicians who may not independently bill for evaluation and management visits (for example – physical therapists, occupational therapists, speech language pathologists, clinical psychologists) can also provide these e-visits and bill the following codes:

**G2061** – Qualified non-physician healthcare professional online assessment and management, for an established patient, for up to seven days, cumulative time during the 7 days; 5–10 minutes.

**G2062** – Qualified non-physician healthcare professional online assessment and management service, for an established patient, for up to seven days, cumulative time during the 7 days; 11–20 minutes.

**G2063** – Qualified non-physician qualified healthcare professional assessment and management service, for an established patient, for up to seven days, cumulative time during the 7 days; 21 or more minutes.

#### 2.5.3 Telehealth Service Modifiers

Telehealth modifiers, shown in Table 2-4, must be submitted with distant site telehealth services. Generally, interactive audio and video communications must be used to permit real-time communication between distant site physician/practitioner and patient. Patient must be present and participating in telehealth visit.

CMS requires use of modifier 95 for telehealth services; other payors may require its use. The CMS guidance is available at:

 $\frac{https://www.cms.gov/outreach-and-educationoutreachffsprovpartprogprovider-partnership-email-archive/2020-04-03-mlnc-se}{partnership-email-archive/2020-04-03-mlnc-se}$ 

Table 2-4: Telehealth Service Modifiers, source: Novitas Solutions

Modifier	Description
G0 (zero)	Telehealth services furnished for purposes of diagnosis, evaluation, or treatment of symptoms of an acute stroke. Effective for claims with dates of service on and after January 1, 2019, modifier G0 is valid for:
	<ul> <li>Telehealth distant site codes billed with Place of Service (POS) code 02; or</li> </ul>
	<ul> <li>Critical Access Hospitals, CAH method II (revenue codes 096X, 097X, or 098X); or</li> </ul>
	Telehealth originating site facility fee, billed with HCPCS code Q3014

Modifier	Description
GQ	Telehealth service rendered via asynchronous telecommunications system.
GT	Via interactive audio and video telecommunication systems  • Effective January 1, 2018, the use of modifier GT on professional claims has been eliminated. Use of the telehealth POS code 02 certifies that the service meets the telehealth requirements.
	<ul> <li>Effective October 1, 2018, the GT modifier is only allowed on institutional claims billed by CAH Method II providers.</li> </ul>

Coders should communicate with their EHR team on how visits are being set up to ensure seamless workflows for subsequent coding and billing. Refer to Section 2.6, Definitions.

#### 2.5.4 Telehealth Documentation

Providers will continue to document the visit in the same manner as a face-to-face encounter:

- Patient agrees to telehealth visit and understands that CISCO meeting is a secured connection or unsecure if using Apple FaceTime, Skype, etc.
- Location of the Patient and the Provider
- All persons participating and their role in the encounter
- Start and end times

#### For example:

"Patient FIRST LAST NAME presents via CISCO MEETING on MM/DD/YY. Provider FIRST LAST NAME was located at the LOCATION (I/T/U FACILITY NAME, HOME). Patient FIRST LAST NAME was located at LOCATION (HOME). Patient verbally consents to the use of telemedicine for this visit and acknowledges this is a secure platform. Guardian/spouse is present with the patient during the visit."




Figure 2-1 is an example of a Virtual Check-In Template:

Figure 2-1 Virtual Check-In Documentation Template

#### 2.5.5 COVID-19 Evaluation and Management Documentation

Chief complaint.

Fever, flu exposure, COVID-19 exposure, shortness of breath, cough, sore throat, body/muscle aches, sinus pains, chills.

- History and Physical.
  - Onset / duration.

Documented if exposure to COVID-19 is suspected, confirmed or unknown, recent travel (number of days and location), severity, pail level, is condition worsened by deep breath.

- o Symptoms and Vitals.
- o Review of Systems.
- o Past medical history (allergies, immunizations, etc.).
- o Social and Family history.
- Physical exam (deferred for telehealth).
- X-ray (chest x-ray or CT chest) and lab results (CB, Chemistries, UA, COVID-19, flu etc.). For telehealth document any previous x-ray or lab or if such will be ordered for patient.
- Interventions and Treatment plan for flu or COVID-19 suspected or positive patients.
- Clinical Impression/Final Diagnosis: asthma, reactive airway disease, bronchitis, COPD, pharyngitis, pneumonia specificity (interstitial, atypical, viral, bacterial, COVID-19), sinusitis, COVID-19 suspected, exposure, confirmed, etc.
- Medications, education, counseling, and disposition.
- Signature, date, and time.

It should be understood this guide doesn't replace the rules contained within any official coding guideline.

# 2.6 IHS Coding Listserv

The IHS Coding Listserv is an available tool for I/T/U coders to use for troubleshooting coding scenarios, HER, and other coding process changes, and for general assistance with coding/billing compliance feedback.

Request to join the listsery at this link:

https://www.ihs.gov/listserv/topics/signup/?list\_id=129

Coding Listserv:

To send an email to the list: CODING@LISTSERV.IHS.GOV

# 3.0 Introduction to the Toolkit

IMPORTANT: Coordinate with your EHR Team to carefully delineate specific workflow and business processes for your facility as not all of the RPMS/EHR Setup and Configuration will apply to your processes.

If you are unsure of how to do any of the steps outlined in this section, contact your Area support team or join OIT EHR Office Hours for assistance.

### 3.1 Definitions

Table 3-1 displays the services offered with telemedicine, the definitions of each service and its modality.

Table 3-1: Types of Telemedicine Service and Definitions

Type of Service	What is the Service? (per CMS)	Modality
Virtual Check-In	A brief check in with your practitioner via telephone or other telecommunications device to decide whether an office visit or other service is needed. A remote evaluation of recorded video and/or images submitted by an established patient.	Audio only medical services
Telemedicine	A visit with a provider that uses telecommunication systems between a provider and a patient.	Audio-visual medical services
E-Visit	A communication between a patient and their provider through an online patient portal.	Personal Health Record (PHR) and DIRECT secure messaging
Virtual Check-In BH	A brief check in with your practitioner via telephone or other telecommunications device to decide whether an office visit or other service is needed. A remote evaluation of recorded video and/or images submitted by an established patient.	Audio only Behavioral Health services
Telebehavioral Health	A visit with a provider that uses telecommunication systems between a provider and a patient.	Audio-visual Behavioral Health services
E-Visit BH	A communication between a patient and their provider through an online patient portal.	Personal Health Record (PHR) and DIRECT secure messaging

#### 3.2 Toolkit Materials/References

Toolkit materials and references are available as follows:

- Medicare Telemedicine Health Care Provider Fact Sheet. Select this link:
   <a href="https://www.cms.gov/newsroom/fact-sheets/medicare-telemedicine-health-care-provider-fact-sheet">https://www.cms.gov/newsroom/fact-sheets/medicare-telemedicine-health-care-provider-fact-sheet</a>
- EHR Progress Note Templates Folder:
  - o Virtual Check-in/Telemedicine SEGMENT.txml
  - o Virtual Check-in/Telebehavioral Health SEGMENT.txml
- Patient Education Picklists Folder:
  - o EHR Patient Education Picklist: Communicable Diseases.zge
  - o EHR Patient Education Picklist: Influenza.zge
- SNOMED Picklists Folder:
  - EHR Problem Management Integrated Problem List SNOMED Picklist:
     COVID-19.zgp
- CPT Picklists Folder:
  - Excel File with Telemedicine CPT Codes:
     Medicare telehealth code list for cy 2019 and 2020 rab.xlsx
  - Word Document with EHR Superbill CPT Picklist Screen Shots: EHR Superbill CPT Picklists.docx
  - o EHR Superbill CPT Picklist: Virtual Check-In.zgs
  - o EHR Superbill CPT Picklist: Virtual E-Visits.zgs
  - o EHR Superbill CPT Picklist: Telemedicine.zgs
  - o EHR Superbill CPT Picklist: Telebehavioral Health.zgs
  - o EHR Superbill CPT Picklist: Tele-Inpatient-ER Followup.zgs

# 3.3 Telemedicine RPMS/EHR Setup and Configuration Checklist

1.	Review	RPMS/EHR Parameters

- ☐ Selectable Visit Types
- ☐ RPMS PCC EHR Coding Queue Parameter: CASP
- ☐ RPMS Third-Party Billing Configuration Guide
- 2. Create Clinics in Practice Management Application Suite

	<ul> <li>□ Virtual Check-In</li> <li>□ Telemedicine</li> <li>□ E-Visit</li> <li>□ Virtual Check-In BH</li> <li>□ Telebehavioral Health</li> <li>□ E-Visit BH</li> </ul>
3.	Create Note Titles
	<ul> <li>□ Virtual Check-In</li> <li>□ BH Virtual Check-In – (Ensure under appropriate BH business rules document class)</li> <li>□ Telemedicine</li> <li>□ Telebehavioral Health – (Ensure under appropriate BH business rules document class)</li> <li>□ E-Visit</li> <li>□ BH E-Visit – (Ensure under appropriate BH business rules document class)</li> </ul>
4.	Create Progress Note Templates
	<ul> <li>□ Virtual Check-In</li> <li>□ Telemedicine</li> <li>□ Telebehavioral Health</li> <li>□ E-Visit</li> </ul>
5.	Create EHR Quick Note Button
	<ul> <li>□ Virtual Check-In Medical</li> <li>□ Virtual Check-In Behavioral Health</li> <li>□ Telemedicine</li> <li>□ Telebehavioral Health</li> <li>□ E-Visit</li> <li>□ E-Visit Behavioral Health</li> </ul>
6.	Develop/Import Patient Education Picklists
	<ul><li>□ Communicable Diseases</li><li>□ Influenza</li></ul>
7.	<u>Develop/Import EHR Problem Management – Integrated Problem List – SNOMED Picklist</u>
	☐ COVID-19 (more coronavirus specific SNOMED terms to be released)
8.	Develop/Import EHR Superbill CPT Pick Lists
	<ul> <li>□ Virtual Check-In</li> <li>□ Virtual E-Visit</li> <li>□ Telemedicine</li> <li>□ Telebehavioral Health</li> <li>□ Tele-Inpatient-ER Follow-up</li> </ul>

<b>IMPORTANT:</b>	Coordinate with your EHR Team to carefully
	delineate specific workflow and business
	processes for your facility, as not all of the
	RPMS/EHR Setup and Configuration will apply
	to your processes.

# 4.0 Clinic Codes

An abbreviated list of clinic codes is displayed in Table 4-1. It includes the service/specialty being provided, as well as the description.

Table 4-1: Clinic Codes

Code	Name	Description	Status
01	General	Feb 18, 2005 Approved by Medical Records. An organized clinic that provides acute, chronic and preventive medical care to all age groups on an appointment or walk-in basis.	Available
28	Family Practice	Feb 18, 2005 Approved by Medical Records. An organized clinic providing family medical services through family practice-trained providers.  Available	
D7	Online Services	Feb 18, 2005 Approved by Medical Records. Contact with individuals over the internet for a medically significant intervention using the Personal Health Record or Direct Messaging.	
C4	Behavioral Health	Feb 18, 2005 Approved by Medical Records. An organized clinic that focuses on behavioral health services such as mental health, alcohol and substance abuse, and social services to children, adolescents, adults and their families. Services include assessment, group or individual therapy and where needed, medication management.	Available
C9	Telebehavioral Health	Feb 18, 2005 Approved by Medical Records. The provision of behavioral health services via videoconferencing and/or other recognized forms of telemedicine (e.g. store-and-forward software). Services include assessment, individual/couples/family/group therapy, medical management, clinical case consultation, and case management. Conventional telephone consultation alone does not constitute telebehavioral health.	
90	Telemedicine	Feb 18, 2005 Approved by Medical Records. The provision of consultant services by off-site physicians to health care professionals on the scene, as by means of closed-circuit television.	Available

Code	Name	Description	Status
51	Telephone Call	Feb 18, 2005 Approved by Medical Records. Contacts with individuals over the telephone for a medically significant intervention.  Available	
52	Chart Rev/Rec Mod	Feb 18, 2005 Approved by Medical Records. Review of the medical record, resulting in documentation of a medically significant condition; absent a direct patient visit.	Available
25	Other	Feb 18, 2005 Approved by Medical Records. Any specialty organized clinic not otherwise identified (Do not use for after- hours clinics. Refer to clinic code 89).	Available

Table 4-2 displays the Public Health Emergency code, which will be available in a future patch to be released in April 2020.

Table 4-2: Public Emergency Code

Code	Name	Description	Status
Code	Name	Description	Status
E8	Public Health Emergency	A clinic that provides health services in response to a public health emergency at the national, regional, or local level. Such as, but not limited to, epidemic, pandemic or natural disasters.	NEW Now Available (AUM v20.0 p2)

A full list of RPMS/EHR Clinic Codes is available at the IHS Standard Code Book reference link:

 $\frac{https://www.ihs.gov/SCB/index.cfm?module=W\_CLINIC\&option=list\&num=81\&newquery=1$ 

# 5.0 Service Category

Service categories, displayed in Table 5-1, are used to describe how a service is provided.

Table 5-1: Service Categories

Code	Name	Description	Status
Α	Ambulatory	Used for workload.	Available
E	Historical (Event)	Used to document past events. Not used for workload.	Available
Т	Telecommunications	Used to document informal patient encounters such as telephone conversations. Not used for workload.	Available
С	Chart Review	Used to document chart reviews. Not used for workload.	Available
I	In-Hospital	Used to document ambulatory visits on hospitalized patients.	Available
S	Day Surgery	Used to document Day Surgery visits.	Available
R	Nursing Home	Used to document nursing home visits.	Available
N	Not Found	Used for service categories not otherwise specified.	Available
М	Telemedicine	Used to document telemedicine visits.	Available

A full list of RPMS/EHR Service Categories is available at the IHS Standard Code Book reference link:

 $\underline{https://www.ihs.gov/SCB/index.cfm?module=W\_SVC\_CATEGORY\&option=list\&n\_um=66\&newquery=1}$ 

#### 6.0 Review RPMS-EHR Parameters

#### ☐ Selectable Visit Types

- BEHO ENC TYP or
- XX Parameter: BEHOENCX VISIT TYPES
- Ensure "M~Telemedicine~Used to document telemedicine visits." is included.
  - o Division vs. System level may vary from site to site.
  - o Division level setup is preferred with this parameter.
- Once included within parameter, Telemedicine Type of Visit will be selectable in EHR when creating a New Visit.

#### ☐ RPMS PCC EHR Coding Queue Parameter: CASP

- PCC ENT ERHC CASP Update EHR Coding Audit Site Parameters
  - Menu pathways may differ from site to site
  - Coordinate with HIM (Health Information Management) staff as menu options may be restricted by security key access.

#### ☐ RPMS Third Party Billing Configuration Guide

• Reference to Third Party Billing Configuration Guide Section 12.0

#### 6.1 Selectable Visit Types

```
RPMS-EHR Configuration Master Menu
      Adverse Reaction Tracking Configuration ...
CCD
      CCDA Component Configuration ...
CCX Chief Complaint Configuration ...
CON Consult Tracking Configuration ...
EDU Patient Education Configuration ...
ENC Encounter Context Configuration ...
EPCS IHS EPCS Main Menu ...
EXM Exam Configuration ...
FRM VueCentric Framework Configuration ...
HFA Health Factor Configuration ...
IMM Immunization Configuration ...
LAB Lab Configuration ...
    Medication Management Configuration ...
MED
     Notification Configuration ...
NOT
ORD
      Order Entry Configuration ...
    Patient Context Configuration
PAT
PHX Personal Health Hx Configuration ...
PLS Problem List Configuration ...
POV POV Configuration ...
PRC Procedure Configuration ...
```

```
REM Reminder Configuration ...

RPT Report Configuration ...

Press 'RETURN' to continue, '^' to stop:

SPL Spellchecking Configuration ...

TIU TIU Configuration ...

VIT Vital Measurement Configuration ...
```

Figure 6-1: Encounter Context Configuration (ENC) option

2. Select the Encounter Context Configuration option, **TYP** Selectable Visit **Types**.

```
CRT Allow User to Create New Visits
LCK Days After Which Visit is Locked
OTH General Location for Outside Encounters
OVR Temporarily Override Visit Lock for User
PRV Allow a User to be a Visit Provider
STP Visit Search Stop Date
STR Visit Search Start Date
TYP Selectable Visit Types
```

Figure 6-2: Selectable Visit Types (TYP) option

3. Set the Selectable Visit Type for the division, DEMO SERVICE UNIT.

Figure 6-3: Demo Service Unit option

**Note:** The Division setting may vary depending on how the site was set up.

4. At Select Sequence, type a **question mark** (?), then view the options to ensure **M~Telemedicine~Used to document telemedicine visits** is there. If not, it must be added.

Figure 6-4: Select Sequence screen

## 6.2 RPMS PCC EHR Coding Queue Parameter (CASP)

1. Select the PCC Manager Menu option, PCC Patient Care Data Entry Menu.

Figure 6-5: PCC Data Entry Module screen

2. Select Patient Care Data Entry Menu option, ENT Enter/Modify/Append PCC Data.

```
ENT Enter/Modify/Append PCC Data ...

DSP Display Data for a Specific Patient Visit

PEF Print a PCC Visit in Encounter Form format

UPD Update Patient Related/Non Visit Data ...

DEU Data Entry Utilities ...

VIEN Display a Visit by Visit IEN

BHS Browse Health Summary

DVB Display a PCC Visit w/limited Lab Display

GHS Generate Health Summary

PDV Print a PCC Visit Display to a Printer
```

Figure 6-6: Enter/Modify/Append PCC Data (ENT) option

3. Select the Enter/Modify/Append PCC Data option, EHRC EHR/PCC Coding Audit Menu.

```
ENT
      Enter Data
MOD Modify Data
APP Append Data To An Existing Visit Record
APL Append Data using Item List Display
TIM Modify Visit Date and/or Time
EAC Enter Data with Visit Display and Actions
MNE Enter PCC Data Using Item List Display
      Group Preventive Form Entry
GRP
      Enter Historical INPATIENT Visits
HIN
DTC
      Tran Code (DTC) Entry for All Visits
    Enter Trans Codes on IN-Hospital Visits
TCH
TCO Enter Trans Codes on Outpatient Visits
DMU Update Diabetes Patient Data
EC
     Entry of Data for a Cohort of Patients
MFC Display a Count of Forms you have Processed
SF Enter/Edit Suicide Forms ...
EHRC EHR/PCC Coding Audit Menu ...
LOG Enter Data From LOGS (lab/rad/cpt/apc) ...
RSPV Resequence Purpose of Visits (POVs) on a Visit
```

Figure 6-7: EHR/PCC Coding Audit Menu (EHRC) option

4. Select the EHR/PCC Coding Audit Menu option, CASP Update EHR Coding Audit Site Parameters.

```
EHRD EHR/PCC Coding Audit for Visits in Date Range
PEHR EHR/PCC Coding Audit for One Patient
ACDR Add new Chart Deficiency Reason to Table
TUR Count Unreviewed Visits by Date/Service Category
ACCL Auto Mark Visits as Reviewed/Complete by Clinic
ACRX Auto-Complete Pharmacy Education Only Visits

CASP Update EHR Coding Audit Site Parameters
ICPD Incomplete Charts by Provider w/Deficiencies
INCV List Visits Marked as Incomplete
LIR List Unreviewed/Incomplete Visits
TRV Tally of Reviewed/Completed Visits by Operator
TRVL Tally Reviewed/Completed Visits (Last Operator)
VNR Tally/List of Visits not Reviewed in N Days
```

Figure 6-8: Update EHR Coding Audit Site Parameters (CASP) option

#### **EHR Coding Queue Parameter Review**

Review the EHR Coding Queue Parameter to ensure Telemedicine service category is NOT listed under the highlighted section. Your site is currently set up to exclude visits with the following service categories from the coding queue:

```
Select PCC DATA ENTRY SITE PARAMETERS SITE NAME: DEMO SERVICE UNIT

NASHVILLE NON-IHS

DEMO SERVICE UNIT

30

TX

MC(M)

9999

Service Category exclusions: If you would like to exclude visits with a particular service category from the list of visits displayed in the coding queue you must enter those service categories to the list below. For example, if you do not wish to have I - In Hospital visits in the list, then you should add 'I' to the list.

Please note: If you leave the list blank (empty) then all direct (non-CHS) visits will display in the coding queue.
```

```
Historical EVENT visits never display in the coding queue.
Your site is currently set up to exclude visits with the following service
categories from the coding queue:
None selected, All visit service categories will be included in the coding
queue.
    Select one of the following:
                   Add another service category to the list
                   Remove a service category from the list
                    Quit - list looks good
Do you wish to: Q// uit - list looks good
You have the option of seeing all visits in the coding queue regardless of
how they were created. You can see all visits or limit the list of visits
in the coding queue to only those on which a provider has been entered. If
you choose to only see visits on which a provider was entered then you will
not see visits that were created by an ancillary package. Most, if not, all
visits created by EHR users will have provider.
< IMPORTANT: Coordinate any modifications to EHR Coding Queue Parameters
with facility Health Information Management Director. May vary based on
local policies and procedures.>
Include all visits in the coding queue list?: Y YES, INCLUDE VISITS WITH
NO PROVIDER
Default Response for 'Is Coding Complete?' in Data Entry: N NO
Require Chart Deficiency Reason on Visits marked as Incomplete?: Y YES
Number of days to chart w/ deficiencies is delinquent: 3
```

Figure 6-9: Coding Queue Parameter screen

### 7.0 Create/Review Clinics

#### 7.1 Clinic Workflow Considerations

**IMPORTANT:** Coordinate with your EHR Team to carefully delineate specific workflow and business processes for your facility, as not all of the RPMS/EHR Setup and Configuration will apply to your processes.

- Workflow may or may not dictate the need for additional clinics to be created.
- Workflows could use existing clinics with appropriate documentation management.
  - Service Category code must be Telemedicine (M) for Virtual Check-in, Telemedicine, and E-Visit types of service.
  - May change clinics to uncheck Create Visit at Check-in within clinic setup in Practice Management Application Suite (BPRM) and have providers create new visit with Telemedicine Type of Visit through visit selection New Visit option or EHR Quick Notes.
  - May have coder change service category on back end from Ambulatory to Telemedicine Service Category within EHR Coding Queue VST mnemonic if using a provider's existing clinic.

## 7.2 Review Clinics in Practice Management Application Suite

Identify any modifications or additional clinics needed.

#### Examples:

	Virtual Check-In
	Telemedicine
	E-Visit
	Virtual Check-In BH
	<b>Telebehavioral Health</b>
П	F-Visit RH

Table 7-1: Clinic Name - Clinic Code - Service Category Summary Table

Clinic Name	Clinic Code	Service Category
Blue Team (existing clinic example)	General (01)*	Telemedicine (M)
Virtual Check-In	General (01)*	Telemedicine (M)
Telemedicine	Telemedicine (90) *	Telemedicine (M)

Clinic Name	Clinic Code	Service Category
E-Visit	Online Services (D7)	Telemedicine (M)
Virtual Check-In BH	Behavioral Health (C4)	Telemedicine (M)
TeleBehavioral Health	TeleBehavioral Health (C9)	Telemedicine (M)
E-Visit BH Online Services (D7) Telemedicine (M)		
* Can also be applicable clinic code based on services provided.		

- Based on workflow, clinics may be needed for each individual provider to manage scheduling. If workflow indicates the need for a new clinic(s), use Section 7.2.1 and Section 7.2.2 as guides to help create the new clinic(s).
- Carefully consider using established clinics to accommodate existing workflow.

#### 7.2.1 Create New Clinic: Virtual Check-In

Figure 7-1 displays how to create a new Virtual Check-In clinic.

- 1. On the Create New Clinic window, type Virtual Check-In in the Name field.
- 2. Click Save.




Figure 7-1: Create New Virtual-Check-In Clinic window

The Clinic Configuration window (Figure 7-2) General tab displays.




Figure 7-2: Clinic Configuration Virtual Check-in window

- 3. Ensure the GENERAL clinic code is selected within clinic configuration.
- 4. Ensure the Multiple Clinic Codes Used checkbox is selected.
- 5. Select the Scheduling tab. The Clinic Configuration Scheduling window (Figure 7-3) displays.




Figure 7-3: Clinic Configuration Scheduling window

- 6. Complete the appropriate fields.
- 7. Select the Users/Providers tab. The Clinic Configuration User Providers window (Figure 7-4) displays.




Figure 7-4: Clinic Configuration User Providers window

- 8. Save the Clinic Configuration.
- 9. Select the clinic created from Clinic list.
- 10. Click Edit Availability to define possible appointment schedule.




Figure 7-5: Clinic Availability Configuration window

11. Customize the Clinic Availability Configuration to match the service schedule. You may need to add additional clinics based on the number of providers.

#### 7.2.2 Create New Clinic: E-Visit

- 1. On the Create New Clinic window (Table 7-1), type **E-VISIT** in the Name field and complete appropriate fields.
- 2. Click Save.




Figure 7-6: Create New E-Visit Clinic window

The Clinic Configuration window (Figure 7-7) General tab displays.




Figure 7-7: Clinic Configuration E-Visit General Tab window

- 3. Ensure the Online Services clinic code is selected within E-VISIT clinic configuration.
- 4. Select the Scheduling tab. The Clinic Configuration Scheduling window (Figure 7-8) displays.




Figure 7-8: Clinic Configuration E-Visit Scheduling Tab window

- 5. Complete the appropriate fields.
  - a. Ensure Telemedicine Visit Service Category is selected.
  - b. Do not check Ask for Check In/Out Time or Create Visit at Check In for this type of E-VISIT clinic creation.
- 6. Select the Users/Providers tab. The Clinic Configuration Users/Providers window (Figure 7-9) displays.




Figure 7-9: Clinic Configuration E-Visit Users/Providers Tab window

**Note:** Clinic Availability Configuration is not needed for an E-Visit, since all visits will be created in EHR with the EHR Ouick Note button.

# 8.0 Create New Note Titles: Virtual Check-In and Telemedicine

IMPORTANT: Coordinate with your EHR Team to carefully delineate specific workflow and business processes for your facility, as not all the RPMS/EHR Setup and Configuration will apply to your processes.

When creating new Note Titles, follow your local processes. It is recommended that HIM and EHR teams are involved in decision making. Carefully consider using existing note titles to accommodate workflow. Example menu path:

BEHO RPMS EHR Configuration Master Menu – TIU Configuration – HIS
 TIU Menu for Medical Records – TMM TIU Maintenance Menu – DDM
 Document Definitions Manager – DDM 3 – Create Document Definitions

Place new note titles in the appropriate document class used for your clinical note titles. No need to create a new document class.

Table 8-1 displays possible note titles and mapping.

Table 8-1: Note Titles and Mapping

NOTE TITLE	VHA ENTERPRISE STANDARD TITLE MAP
VIRTUAL CHECK-IN	TELEPHONE ENCOUNTER NOTE
TELEMEDICINE	TELEMEDICINE NOTE
E-VISIT	CORRESPONDENCE

**Note:** If creating new behavioral-health related note titles, ensure they align with current behavioral-health note titles, document classes, and any potential business rules if applicable. Business rules can be used to create different levels of confidentiality for behavioral health notes.

The following is the link to resources on behavioral-health business rules:

 $\frac{https://www.ihs.gov/sites/rpmsbh/themes/responsive2017/display\_objects/documents/EHRBHTierIandIIBusRules.pdf}{}$ 

Possible behavioral health note titles and mapping:

Table 8-2: Behavioral Health Note Titles and Mapping

NOTE TITLE	VHA ENTERPRISE STANDARD TITLE MAP
BH VIRTUAL CHECK-IN	MENTAL HEALTH TELEPHONE ENCOUNTER NOTE
TELEBEHAVIORAL HEALTH	MENTAL HEALTH TELEMEDICINE NOTE
BH E-VISIT	CORRESPONDENCE

## 9.0 Create/Import EHR Progress Note Templates

RPMS EHR Note Templates for documenting Virtual Check-in, Telemedicine, and Telebehavioral Encounter Requirements during COVID-19 public health emergency:

There are many considerations for documentation requirements that are evolving during this COVID 19 public-health emergency. Follow CMS, State, and local guidance for specifics.

#### Two note-template segments delivered:

- Virtual Check-in/Telemedicine\_SEGMENT.txml
- Virtual Check-in/Telebehavioral\_SEGMENT.txml

#### Suggested use cases for incorporating note-template segment:

- 1. Add note template segment only to EHR quick note button configuration.
  - a. Provider can then use their desired template.
- 2. Add note-template segment to each identified provider's individual template.
- 3. Make note-template segment available in Shared Templates folder to pull into note as needed.

#### Steps for incorporating note-template segment:

- Import in note templates.
- Informaticists will need to edit the TIU Template Field called: {FLD:OCA TM LOC PRV} to add their facility information.
- Identify templates to add segment to:
  - Export out existing template (will need to save as is for future use)
  - o Import template in and append name to differ from original template
  - Add to template:
    - Time based codes: include start time and stop time
    - Virtual Check-in (telephone): time spent in medical discussion with the patient (minutes):
  - Make other identified edits to accommodate documentation for these types of visits:
    - If two patient identifiers are in the template, should be removed from the segment being added
    - Other examples: remove vitals, edit physical exam

- Do NOT include messages about billable encounters or data charges within legal health record; may consider adding a statement into newsletters, flyers, audio-video invitation information, etc.
- Optional use of activity time for providers (required for behavioral health and public health nurses):
  - o Add time to activity time to become part of visit file
  - o Consider adding this first and pulling information into note with data object
- Carefully review template in conjunction with Health Information Management (HIM), clinicians, and billing team members for other needed changes.
- Inform and train providers.




Figure 9-1: Virtual Check-in/Telemedicine SEGMENT window




Figure 9-2: Virtual Check-In/TeleBehavioral Health window

## 10.0 Create EHR Quick Notes

Carefully delineate workflows to guide decisions on the use of EHR Quick Notes and when they may compliment workflows for visit creation or note title and template selection.

#### 10.1.1 Example for Virtual Check-In and Telemedicine (Audio-Visual)

Determine how clinics will be used for scheduling. Will someone be:

- Checking patients in and out of the Practice Management Application Suite (BPRM)
- Creating a Visit encounter through the EHR New Visit tab
- Creating a Visit encounter through EHR Quick Note button (Figure 10-1)

## 10.1.2 Creating a Quick Note

1. Click the Quick Note icon.



Figure 10-1: Quick Note button

2. Click Create.




Figure 10-2: Quick Note Selector

3. Type the new **Quick Note name**.



Figure 10-3: New Quick Note name on the Create a New Quick Note dialog

4. Select a Quick Note title.




Figure 10-4: Quick Note Properties dialog

a. If checking-in patients through the Practice Management Application Suite with Create Visit at Check-in selected within Clinic configuration, setup EHR Quick Note configuration with Use Visit Dialog instead of Set Visit Context option.




Figure 10-5: Quick Notes Properties with Use Visit Dialog selected

5. At the Quick Note Selector dialog, select VIRTUAL CHECK-IN.




Figure 10-6: Quick Note Selector dialog

6. Type Virtual E-Visit on the Create a New Quick Note dialog.



Figure 10-7: New Quick Note name on the Create a New Quick Note dialog

7. Select the Note Title E-VISIT on the Quick Note Properties dialog.




Figure 10-8: Note Title: on Quick Note Properties dialog

E-Visits will not be checked in through Practice Management Application Suite; therefore, Set Visit Context is used for this EHR Quick Note setup.

- 8. Continue with EHR Quick Note creation for Telemedicine, BH Virtual Check-In, TeleBehavioralHealth, and BH E-Visits as applicable for each site with similar configurations depending on check-in workflow.
  - a. Use Visit Dialog with Practice Management Application Suite Check-In process to Create Visit at Check-In.
  - b. Use Visit Dialog for telemedicine encounters created with EHR New Visit tab.
  - c. Use Set Visit Context when Visit is created utilizing the EHR Quick Note button.

## 11.0 Develop/Import Pick Lists

## 11.1 Develop/Import Patient Education Pick Lists

Available from Toolkit.

- 1. Import Patient Education Pick Lists
  - **□** Communicable Disease
  - □ Influenza

Example Patient Education Pick List documentation after import.




Figure 10-1: Education Topic Selection dialog with all Communicable Disease Pick List items checked, length of time defined, and comprehension level/readiness to learn options selected




Figure 10-2: Influenza Pick List Education Topic Selection dialog

# 11.2 Develop/Import EHR Problem Management – Integrated Problem List – SNOMED Picklist

Available from toolkit.

1. Import COVID-19 SNOMED Picklist




Figure 10-3: Imported COVID-19 SNOMED Picklist with Group and Status defined




Figure 10-4: Example Provider View of imported COVID-19 SNOMED Picklist

## 11.3 Imported CPT Picklists Available in Toolkit

Available to import from toolkit folders.

- It is recommended that you consult with HIM (Health Information Management)/Coding/Billing staff to determine/identify/address appropriate codes, modifiers, and other associations.
- Consider clinic workflow and CMS or state-specific documentation guidance.
- Refer to the excel spreadsheet within toolkit Superbill CPT Picklist folder for
  possible associations and expanded narratives. Associations may include CPT
  modifiers as applicable for the type of service and CMS/state-specific
  documentation guidance.




Figure 11-5: Import Super-Bill dialog

**Note:** Associations can be added to facilitate documentation of modifiers, patient education codes, etc.

Associations and modified narratives are not imported with CPT picklists. Carefully review and reference state-specific documentation requirements and utilize the excel spreadsheet to plan out which modifiers or other associations will be used.




Figure 11-6: Add Association to Super-Bill Item dialog

#### 11.3.1 Telemedicine




Figure 11-7: Telemedicine Superbill window

#### 11.3.2 Virtual Check-In




Figure 11-8: Virtual Check-In window

#### 11.3.3 Virtual E-Visits




Figure 11-9: Virtual E-Visits window

#### 11.3.4 TeleBehavioral Health




Figure 11-10: Telebehavioral Health window

## 11.3.5 Tele-Inpatient/ER Follow-Up




Figure 11-11: Tele-Inpatient/ER Follow-Up

If you are unsure of how to do any of the steps outlined in this guide, contact your Area support team or join OIT EHR Office Hours for assistance.

## 12.0 Billing Code Updates

As a result of the need for COVID-19 reporting, several code sets have been updated that affect billing. These updates will be released in RPMS patches that update the CPT (RPMS Namespace ACPT) and ICD (RPMS Namespace AUM) code sets.

#### 12.1 CPT Code

Due to the emergent nature of the public health concern surrounding novel coronavirus testing, the American Medical Association (AMA) Current Procedural Terminology (CPT®) Editorial Panel convened a special meeting and approved a new, specific CPT code to describe laboratory testing for severe acute respiratory syndrome corona-virus 2 (SARS-CoV-2).

**Note:** Per the World Health Organization, the official name of the virus is severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), while the name of the disease it causes is coronavirus disease (COVID-19).

The AMA expedited the publication of this new CPT code to the AMA Web site on Friday, March 13, 2020:

https://www.ama-assn.org/practice-management/cpt/cpt-releases-new-coronavirus-covid-19-code-description-testing

This code is effective immediately for use in reporting this testing service. Be aware that code 87635 is not in the CPT 2020 publication; however, it will be included in the CPT 2021 code set in the Microbiology subsection of the Pathology and Laboratory section.

#### CPT Code 87635

Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique.

Download the CPT Assistant for additional information located on the AMA Web site:

https://www.ama-assn.org/practice-management/cpt/cpt-releases-new-coronavirus-covid-19-code-description-testing

## 12.2 HCPCS Billing Codes

The CMS has authorized the release of two new Healthcare Common Procedure Coding System (HCPCS) codes to use for billing when administering COVID-19 tests. HCPCS is a standardized coding system that Medicare and other health insurers use to submit claims for services provided to patients. Two HCPCS billing codes to be used for testing and tracking new cases of both the SARS-CoV-2 and SARS-CoV-2/2019-nCoV (COVID-19) viruses are listed.

#### • HCPCS billing code (U0001)

In March 2020 the CMS developed the first HCPCS billing code (U0001) for tests and tracking new cases of the SARS-CoV-2 virus. This code is used specifically for CDC testing laboratories that are testing patients.

#### HCPCS billing code (U0002)

The second HCPCS billing code (U0002) released allows laboratories to bill for non-CDC laboratory tests for SARS-CoV-2/2019-nCoV (COVID-19).

On February 29, 2020, the Food and Drug Administration (FDA) issued a new, streamlined policy for certain laboratories to develop their own validated COVID-19 diagnostics. The second HCPCS code (U0002) may be used for tests developed by these additional laboratories when submitting claims to Medicare or health insurers. CMS expects that having specific codes for these tests will encourage testing and improve tracking.

The following two codes are effective March 1, 2020:

#### • HCPCS Billing code (G2023)

Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source.

#### • HCPCS Billing Code (G2024)

Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), from an individual in a skilled nursing facility or by a laboratory on behalf of a home health agency.

## 12.3 ICD-10 Diagnosis Coding

#### • ICD-10 Diagnosis Code U07.1

On January 30, 2020, the World Health Organization (WHO) declared the 2019 Novel Coronavirus (2019-nCoV) disease outbreak a public health emergency of international concern.

As a result of the declaration, the WHO Family of International Classifications (WHOFIC) Network Classification and Statistics Advisory Committee (CSAC) convened an emergency meeting on January 31, 2020 to discuss the creation of a specific code for this new coronavirus. A new International Classification of Diseases, Tenth Revision (ICD-10) emergency code (U07.1, 2019-nCoV acute respiratory disease) has been established by WHO.

ICD-10-CM interim coding guidance can be found at:

https://www.cdc.gov/nchs/icd/icd10cm.htm

## 12.4 Clinic Stop Codes

#### • Public Health Emergency (E8)

A clinic that provides health services in response to a public health emergency at the national, regional, or local level. Such as, but not limited to, epidemic, pandemic or natural disasters.

# 13.0 IHS Response Including the Office of Information Technology (OIT)

Going forward, the OIT will be releasing updates to RPMS to allow for data capture of COVID-19 testing and reporting. The following summaries are planned:

- ACPT 2.20 Patch 1 Releases the new CPT and HCPCS codes
- AUM Version 2020 Patch 2 Updates the ICD Diagnosis file and a new Clinic Stop code
- ATX 5.1 Patch 33 Adds seven new diagnosis codes along with mapping to taxonomy codes
- DTS Cycle 40
- Laboratory (LR) 5.2 Patch 1043 and Patch 1044
- PCC and EHR No updates have been identified at this time
- Third Party Billing No updates are needed at this time

OIT will also be publishing guidance for use of the new lab testing and billing codes within the RPMS suite of applications.

## 14.0 CMS Guidance

To keep up with the important work CMS is doing in response to COVID-19, visit the <u>Current Emergencies Web site</u>.

Summary of CMS Public Health Action on COVID-19 to date:

• On March 9, 2020: CMS delivered guidance on the screening, treatment and transfer procedures healthcare workers must follow when interacting with patients to prevent the spread of COVID-19 in a hospice setting. CMS also issued additional guidance specific to nursing homes to help control and prevent the spread of the virus.

https://www.cms.gov/newsroom/press-releases/cms-issues-clear-actionable-guidance-providers-about-covid-19-virus

 On March 9, 2020: CMS issued a press release highlighting the telehealth benefits in the agency's Medicare program for use by patients and providers. Expanded use of virtual care, such as virtual check-ins, are important tools for keeping beneficiaries healthy, while helping to contain the community spread of the COVID-19 virus.

 $\underline{https://www.cms.gov/newsroom/press-releases/telehealth-benefits-medicare-are-lifeline-patients-during-coronavirus-outbreak}$ 

 On March 9, 2020: CMS published guidance to hospitals with emergency departments (EDs) on patient screening, treatment and transfer requirements to prevent the spread of infectious disease and illness, including COVID-19.
 Medicare-participating hospitals are to follow both CDC guidance for infection control and Emergency Medical Treatment and Labor Act (EMTALA) requirements.

https://www.cms.gov/newsroom/press-releases/cms-issues-call-action-hospital-emergency-departments-screen-patients-coronavirus

March 6, 2020: CMS issued frequently asked questions and answers (FAQs) for healthcare providers regarding Medicare payment for laboratory test and other services related to the 2019-Novel Coronavirus (COVID-19).

https://www.cms.gov/newsroom/press-releases/covid-19-response-news-alert-cms-issues-frequently-asked-questions-assist-medicare-providers

• March 5, 2020: CMS issued a second Healthcare Common Procedure Coding System (HCPCS) code for certain COVID-19 laboratory tests, in addition to three fact sheets about coverage and benefits for medical services related to COVID-19 for CMS programs.

https://www.cms.gov/newsroom/press-releases/cms-develops-additional-code-coronavirus-lab-tests

March 4, 2020: CMS issued a call to action to healthcare providers nationwide and offered important guidance to help State Survey Agencies and Accrediting Organizations prioritize their inspections of healthcare.

https://www.cms.gov/newsroom/press-releases/cms-announces-actions-address-spread-coronavirus

• February 13, 2020: CMS issued a new HCPCS code for providers and laboratories to test patients for COVID-9.

https://www.cms.gov/newsroom/press-releases/public-health-news-alert-cms-develops-new-code-coronavirus-lab-test

• February 6, 2020: CMS gave CLIA-certified laboratories information about how they can test for SARS-CoV-2.

https://www.cms.gov/medicareprovider-enrollment-and-certificationsurveycertificationgeninfopolicy-and-memos-states-and/notification-surveyors-authorization-emergency-use-cdc-2019-novel-coronavirus-2019-ncov-real-time-rt

• February 6, 2020: CMS issued a memo to help the nation's healthcare facilities take critical steps to prepare for COVID-19.

https://www.cms.gov/medicareprovider-enrollment-and-certificationsurveycertificationgeninfopolicy-and-memos-states-and/information-healthcare-facilities-concerning-2019-novel-coronavirus-illness-2019-novel-coronavirus

Sites are encouraged to check with their Medicare Administrative Contractor (MAC) for billing updates.

## 14.1 RPMS Billing Set up

Telemedicine visits will use the M-Telemedicine Service Category so no set up by Service Category is needed in Third Party Billing. There are some parameters that should be checked to ensure that all services will generate a claim. Work with your coding staff to determine which clinic codes will be used for Telemedicine and Telehealth services. The clinic stop codes must be noted when reviewing parameters.

#### 14.1.1 Site Parameters

(3PB→TMTP→SITM)	
-----------------	--

A review of certain prompts in Site Parameters must be completed to ensure that the correct unbillable clinics and providers are listed. It is assumed that these entries were added at the initial implementation of the Third-Party Billing package and are usually reviewed annually but performing a review would be recommended.

Site Parameters for each billable location must be reviewed if Telemedicine services are to be performed at those locations. Make sure that Telemedicine Clinic is not listed. This means reviewing satellite locations as well as HOME, PHN LOCATION, and OTHER visit locations.

```
THIRD PARTY BILLING SYSTEM - VER 2.6p26
                       Site Parameter Maintenance
                        INDIAN HEALTH HOSPITAL
         User: LUJAN, ADRIAN M
                                             25-MAR-2020 10:07 AM
EMC File Preference....:
DEFAULT EMC PATH....:
Facility to Receive Payments....:
Printable Name of Payment Site..:
Current Default Fee Schedule...:
Create Bills for all Patients...:
Always Display Beneficiary Patient:
Require that Queing be Forced...:
Display Long ICD/CPT Description:
Backbilling Limit (months) ....:
Block 31 (HCFA 1500) print....:
UB-92 SIGNATURE....:
Place of Service Code....:
Bill Number Suffix (fac-code) ...:
Append HRN to Bill Number....:
Allow for CPT Modifiers Prompt..:
Set Prof. Comp. Automatically...:
Default Version of HCFA-1500...:
Default Form for Dental Billing .:
VA STATION NUMBER:
VA CONTRACT NUMBER:
Select DEFAULT UNBILLABLE CLINICS:
Select DFLT INVALID PRV DISCIPLINES:
Select DISPLAY UNBILLABLE INSURER(S):
UB-92 Form Locater 38: INSURER ADDRESS//
IN-HOUSE DEFAULT CLIA#:
REFERENCE LAB DEFAULT CLIA#:
ORPHAN VISIT LAG TIME (DAYS)....:
UNCODED DX LAG TIME (DAYS):
```

Figure 14-1:Display of the Unbillable Clinics and Unbillable Provider Disciplines in Site Parameters

#### 14.1.1.1 Select Default Unbillable Clinics Option

This option is used to identify clinic codes that may not be billable **for the visit location** the user is setting up. For example, if the facility has a Clinic Stop code that coding uses to identify unbillable services such as Telephone Call (51), that code may be listed as an unbillable clinic. Type a single question mark (?) to view all entries.

```
Select DEFAULT UNBILLABLE CLINICS: ?

Answer with DEFAULT UNBILLABLE CLINICS
Choose from:
TELEPHONE CALL
CHART REV/REC MOD
EMPLOYEE HEALTH UNIT

You may enter a new DEFAULT UNBILLABLE CLINICS, if you wish
Answer with CLINIC STOP NAME
Do you want the entire 141-Entry CLINIC STOP List?
```

Figure 14-2: Display of the Unbillable Clinics Entry in Site Parameters

If coding determines that TELEPHONE CALL will now be a billable clinic code, the entry must be deleted. To delete:

- 1. Type the **clinic stop code** and press Enter. The system requires confirmation of the entry.
- 2. Type **Yes** to confirm and press Enter.
- 3. Type @ (Shift+2) at the 'Select DEFAULT UNBILLABLE CLINICS' prompt to delete the entry.

```
Select DEFAULT UNBILLABLE CLINICS: TELEPHONE CALL 51
...OK? Yes// (Yes)

DEFAULT UNBILLABLE CLINICS: TELEPHONE CALL// @
SURE YOU WANT TO DELETE THE ENTIRE DEFAULT UNBILLABLE CLINICS? YES
```

Figure 14-3: Deleting an Unbillable Clinics Entry

Once deleted, you may type a single question mark (?) at the prompt to view all unbillable entries.

Note: Once the entry is deleted, all visits the Claim Generator reviews from that date forward with the deleted clinic stop code will be considered when generating a claim. The system does not generate claims for past visits unless a Backbilling Check is performed (3PB→MGTP→BKMG).

Do not perform a Backbilling Check at this time.

#### 14.1.1.2 Select Default Unbillable Provider Disciplines Option

This option is used to identify provider discipline codes that may not be billable **for the visit location** the user is setting up. For example, if the Laboratory Technician has been designated as Unbillable, the entry may be added. Once a provider discipline code has been added, the system never generates a claim for this provider type, where the provider is listed as the primary provider on the visit. Type a single question mark (?) to view all entries and note the entries that may be billable. Check with coding to confirm entries.

```
Select DFLT INVALID PRV DISCIPLINES: ?

Answer with DFLT INVALID PRV DISCIPLINES
Choose from:
CLINIC RN
ADMINISTRATIVE
CODING/DATA ENTRY

You may enter a new DFLT INVALID PRV DISCIPLINES, if you wish
Answer with PROVIDER CLASS NAME
Do you want the entire 146-Entry PROVIDER CLASS List?
```

Figure 14-4: Display of the Unbillable Provider Disciplines Entries

If coding determines that the provider discipline is now a billable provider, the entry must be deleted. To delete:

- 1. Type the **clinic stop code** and press Enter. The system requires confirmation of the entry.
- 2. Type **Yes** to confirm and press Enter.
- 3. Type @ (Shift+2) at the Select DEFAULT UNBILLABLE CLINICS prompt to delete the entry.

```
Select DFLT INVALID PRV DISCIPLINES: CLINIC RN

...OK? Yes// <enter> (Yes)

DFLT INVALID PRV DISCIPLINES: CLINIC RN// @

SURE YOU WANT TO DELETE THE ENTIRE DFLT INVALID PRV DISCIPLINES? YES
```

Figure 14-5: Deleting the Unbillable Provider Disciplines Entry

Once deleted, you may type a single question mark (?) at the prompt to view all unbillable entries.

Note: Once the entry is deleted, all visits the Claim Generator reviews from that date forward with the deleted provider discipline will be considered when generating a claim. The system does not generate claims for past visits unless a Backbilling Check is performed (3PB→MGTP→BKMG). Do not perform a Backbilling Check at this time.

## 14.1.2 Coverage Type Maintenance

#### $(3PB \rightarrow TMTP \rightarrow COTM \rightarrow EDCO)$

This option allows the user to set up Insurers by the types of coverage the payer offers. The most common example for Third Party Billing is set for Medicare Part A and Medicare Part B where *Medicare* is the insurer and *Part B* is the Coverage Type. Other payers, such as the State Medicaid plans, may have been set up at one point in time. Coverage Types may be set up to make a clinic stop code, diagnosis or provider discipline unbillable.

Coverage Types may need to be reviewed to ensure that services that were not covered prior to the COVID-19 billing expansion will generate claims. To review,

- 1. Type the **name of the Insurer** at the Select Insurer prompt and press Enter.
- 2. Type the **coverage type entry** at the Select COVERAGE TYPE to Edit field and press Enter.

```
Select INSURER: MEDICARE

Select COVERAGE TYPE to Edit: PART B MEDICARE B SELF
```

Figure 14-6:Selecting the Insurer and Coverage Type Entry

- 3. The system displays the Plan Type. Press Enter to bypass this entry. At the Select UNBILLABLE CLINICS prompt, type a single question mark (?) and press Enter. Review the list of entries. If an entry needs to be deleted, use the @ sign or Shift+2 to delete.
- 4. Press Enter past the Unbillable Diagnosis prompt. Review the entries and add or review as needed.

```
PLAN TYPE: SELF//
Select CLINICS UNBILLABLE: THIRD PARTY DENTAL// ?

Answer with CLINICS UNBILLABLE
Choose from:
DENTAL
EDUCATION CLASSES
PHARMACY
THIRD PARTY DENTAL

You may enter a new CLINICS UNBILLABLE, if you wish
```

```
Answer with CLINIC STOP NAME, or CODE

Do you want the entire 141-Entry CLINIC STOP List? N (No)

Select CLINICS UNBILLABLE: THIRD PARTY DENTAL//

Select UNBILLABLE DIAGNOSIS: .9999//
```

Figure 14-7: Display of Unbillable Clinics for the Coverage Type

5. The system will display the Select PROV CLASS (UN)BILLABLE and press Enter. Type a single question mark (?) to display the unbillable entries. Review the list and remove any entries that are not valid. Use the @ sign or Shift+2 to delete entries.

```
Select PROV CLASS (UN) BILLABLE: PODIATRIST// ?
Answer with PROV CLASS (UN) BILLABLE
Do you want the entire 44-Entry PROV CLASS (UN)BILLABLE List? YES (Yes)
  Choose from:
  ADMINISTRATIVE
  ALCOHOLISM/SUB ABUSE COUNSELOR
  AUDIOMETRIC TECHNICIAN
  CARDIOLOGIST
  CODING/DATA ENTRY
  COMMUNITY HEALTH REP
  CONTRACT PSYCHIATRIST
  CONTRACT PSYCHOLOGIST
  CONTRACT PUBLIC HEALTH NURSE
  CRNA
  DENTAL HYGIENIST
  DENTIST
  DIETETIC TECHNICIAN
  DIETITIAN
  DISEASE CONTROL PROGRAM
  EMT/PARAMEDIC
  ENVIRONMENTAL HEALTH
  FAMILY PLANNING COUNSELOR
  FOOD SERVICE SUPERVISOR
  HEALTH AIDE
  HEALTH EDUCATOR
  HEALTH RECORDS
  LABORATORY TECHNICIAN
  LICENSED PRACTICAL NURSE
  MEDICAL SOCIAL WORKER
  MEDICAL STUDENT
  MENTAL HEALTH TECHNICIAN
  NURSE ASSISTANT
  NURSE MIDWIFE
  NUTRITION TECHNICIAN
  NUTRITIONIST
  OPTOMETRIC ASSISTANT
  OTHER
  OUTREACH WORKER
  PAPAGO NUTRITION PROGRAM
  PHARMACIST
  PHARMACY PRACTITIONERS
  PODIATRIST
  PSYCHOLOGIST
  PUBLIC HEALTH NURSE
   SCHOOL NURSE
  STUDENT NURSES
```

```
TRIBAL/CONTRACT NUTRITIONIST
XRAY TECHNICIAN

You may enter a new PROV CLASS (UN)BILLABLE, if you wish

Answer with PROVIDER CLASS NAME, or ABBREV. TITLE, or CODE
Do you want the entire 146-Entry PROVIDER CLASS List?
```

Figure 14-8: Display of Unbillable Provider Disciplines

#### 14.1.3 The Insurer File

No new insurer entries will need to be added at this time but if needed, add any new visit types to be billed.

#### 14.1.3.1 Visit Types

If new Visit types have been added to the billing package for use when approving claims, add it to the visit type section of the insurer file.

Remember, the Clinic Stop code may be linked to the Visit Type. If the linked visit type is added in to the insurer file, the claims that generate will create with the visit type the clinic was linked to.

For example, a new Visit Type titled 'DRIVE THROUGH CLINIC' may be added. This visit type may be used with the E8 Clinic Stop Code in addition to the location used from EHR. In this case, the Place of service Code may be added using a form locator override.

## 14.1.4 Place of Service Codes (POS)

Place of Service (POS) codes are used to indicate where the services were performed and are seen on the CMS-1500 paper form or the 837 Professional claim forms and is used to report services for the attending provider. In Third-Party Billing, the Place of Service code is defaulted by visit location.

#### 14.1.4.1 Site Parameters

The default Place of Service code is stored in Site Parameters for each billing location. The default may be checked but no changes should be made for this prompt.

```
Block 31 (HCFA 1500) print...:

UB-92 SIGNATURE...:

Place of Service Code...: 22//

Bill Number Suffix (fac-code)..:

Append HRN to Bill Number...:
```

Figure 14-9; Viewing the Place of Service Code in Site Parameters

#### 14.1.4.2 Form Locator Override

If certain services require a Place of Service code different than the code listed in Site Parameters, an override may be added to send the required code. This is set by Insurer and can also be set by Visit Type. For example, if the Telemedicine Place of Service code is needed to bill for the Distant or provider's services for New Mexico Medicaid, the user would set up Form Locator Override by:

- 1. In Table Maintenance, select Form Locator Override.
- 2. At the Select Insurer Name field, type the **name** of the insurer to override.
- 3. Type the **name** of the export mode to override.
- 4. Type **24** for the Line Item to edit
- 5. The system will ask for a VISIT TYPE. Type the **entry name** to override. For this example, type **TELEMEDICINE** or the **Visit Type number**.
- 6. The system displays the fields for Form Locator 24. Type **3** to select B-POS.
- 7. At the DATA VALUE field, type **02** to add the Telemedicine Place of service code. Be sure to verify that the correct entry has been added, as the Form Locator Override does not validate the entry that was added.

```
87125-6500
Select INSURER NAME: NEW MEXICO MEDICAID
                                                         NEW MEXICO
           ...OK? Yes//
Select 3P EXPORT MODE FORMAT: CMS-1500 (02/12) OMB No. 0938-1197
      Select one of the following:
           RESERVED FOR LOCAL USE

11 BOX 11C - INSURANCE PLAN/PROGRAM NAME
19 RESERVED FOR LOCAL USE
24 LINE ITEMS
241 LINE 24, LINE 1 ITEM
31 SIGNATURE OF PHYSICATE
32
            31 SIGNATURE OF PHYSICIAN
32 WHERE SERVICES RENDERED
33 BILLING INFO
Select Form Locator: \underline{\mathbf{24}} LINE ITEMS
Enter visit type, or leave blank for all. 501 TELEMEDICINE DISTANT
      Select one of the following:
                       A1 - DOS FROM
            2
                       A2 - DOS TO
            3
                       B - POS
            4
                       C - EMG
                       D - HCPCS
            5
                       E - DIAGNOSIS
            6
                        F - CHARGE
             8
                    G - UNITS
H - EPSDT
```

```
10 I - QUALIFIER
11 J - PROVIDER#

Which Section?: 3 B - POS
Are you adding 'FM35 BOX 24 3 501' as
a new FORM LOCATOR OVERRIDE (the 4TH for this 3P INSURER)? No// YES (Yes)

DATA VALUE: 02
```

Figure 14-10: Adding a Place of Service Value to the Form Locator Override

**Note:** To add a default value by VISIT TYPE, the entry must first exist in the 3P VISIT TYPE file.

#### 14.2 Fee Schedules

With the addition of the new CPT and HCPCS codes, fees must be established in order to bill for these services.

It is important to understand what the reimbursement rate for each payer is to ensure that an appropriate price is added for each procedure. Remember to never use the fee schedule that Medicare publishes since that fee schedule indicates how Medicare will pay for those services.

Best practice would be to work with your Laboratory Supervisor to determine which tests are similar to each CPT/HCPCS set and then determine the price according to those similar tests. Another approach would be to work with your fee schedule vendor (provided that the fees were recently purchased) to obtain an update for the new codes.

## 14.2.1 Updating the Fee Schedule

Once the pricing for the new CPT/HCPCS codes has been determined, it is important to immediately update the fee schedule. Do to this, determine the following:

- 1. The fee schedule being currently being used.
- 2. Payers that are using a different fee schedule.
- 3. Updating the Fee Schedule.

#### 14.2.1.1 Determine Current Fee Schedule

Fee schedules are created and stored by billing location. This means that a site may have multiple fee schedules assigned to a parent or satellite locations. Locate the billing location's fee schedule by accessing the Site Parameters.

1. Press Enter to get to the Current Default Fee Schedule to view the Default Fee Schedule. The entry listed is the default for the billing location.

2. Type one question mark (?) to view the description of fee schedule entries. Note the default entry.

```
EMC File Preference...:
DEFAULT EMC PATH....:
Facility to Receive Payments....:
Printable Name of Payment Site ..:
Current Default Fee Schedule....: 31// ?
      This field indicates which schedule will be used for itemized billing for
      those Insurers that do not require the use of their own fee schedule.
 Answer with 3P FEE TABLE SCHEDULE NUMBER
 Do you want the entire 17-Entry 3P FEE TABLE List? Y (Yes)
   Choose from:
              IHS 1995 STANDARD FEE SCHEDULE
              MEDICARE O/P SURGERY
             NM MEDICARE 2001 FEE SCHEDULE
             2002 RBRVS FEE SCHEDULE
             2003 FEE SCHEDULE (3/26/03)
             2004 FEE SCHEDULE (9/10/03)
  7 MEDICALD DELL.
8 MEDICAID FLAT RATE
9 2005 FEE TABLE (2/17/05)
10 MEDICAID T1015 FEE
22 2006 FEE SCHEDULE (2/17/05)
23 2007 FEE SCHEDULE (9/12/2006)
27 2009 INGENIX FEES (2/10/09)
29 2011 FEE SCHEDUEL (05/14/2011)
30 2016 FEE SCHEDULE (1/18/2016)
HISTORICAL FEE SCHEDULE (3/11/
   7
              HISTORICAL FEE SCHEDULE (3/11/2018)
Current Default Fee Schedule....: 31//
Create Bills for all Patients ...:
```

Figure 14-11: Viewing the Site Parameters Default Fee Schedule entry

Remember to check the fee schedule entry for each billing location. The entries that you record will need to be updated with the new fees.

#### 14.2.1.2 Payers Using a Different Fee Schedule

The Visit Type within the Insurer File allows a fee schedule to be stored. This is meant to be populated if the payer is to be billed using a fee schedule that is not part of the site's default fee schedule. It is strongly recommended to leave this field blank but to ensure that all schedules are updated accordingly, it helps to generate a report to view all fee entries by insurer.

To view what has been entered, run a FileMan report if you have access to the A/R FileMan Report option in the Manager Menu.

- 1. Type **ABM** at the Select Package Name prompt and press Enter.
- 2. Type **3P INSURER** at the Select FILE prompt and press Enter.

- 3. At the Sort by prompt, type **VISIT TYPE** and press Enter.
- 4. At the VISIT TYPE SUB FIELD prompt, type **FEE SCHEDULE** and press Enter.
- 5. Press Enter at the START WITH FEE SCHEDULE, SORT BY prompt. The system asks for the print criteria.
- 6. Type INSURER;L25 at the FIRST PRINT FIELD prompt and press Enter.
- 7. At the THEN PRINT FIELD, type **VISIT TYPE** and press Enter.
- 8. At the THEN PRINT VISIT TYPE SUB-FIELD, type **VISIT TYPE;L15** and press Enter.
- 9. At the next THEN PRINT VISIT TYPE SUB-FIELD, type **BILLABLE STATUS'L6** and press Enter.
- 10. At the next THEN PRINT VISIT TYPE SUB-FIELD, type **FEE SCHEDULE;L5** and press Enter.
- 11. Press Enter at the next THEN PRINT VISIT TYPE SUB-FIELD.
- 12. press Enter at the THEN PRINT FIELD prompt.
- 13. At the DEVICE prompt, select a printer or print to the screen.

```
Select PACKAGE NAME: ABM
                           IHS 3P BILLING SYSTEM
Select FILE: 3P INSURER
SORT BY: NUMBER// VISIT TYPE
                              (multiple)
VISIT TYPE SUB-FIELD: FEE SCHEDULE
START WITH FEE SCHEDULE: FIRST// <enter>
 WITHIN FEE SCHEDULE, SORT BY: <enter>
FIRST PRINT FIELD: INSURER; L25
THEN PRINT FIELD: VISIT TYPE
                               (multiple)
 THEN PRINT VISIT TYPE SUB-FIELD: VISIT TYPE; L15
 THEN PRINT VISIT TYPE SUB-FIELD: BILLABLE STATUS; L6
 THEN PRINT VISIT TYPE SUB-FIELD: FEE SCHEDULE; L5
 THEN PRINT VISIT TYPE SUB-FIELD: <enter>
THEN PRINT FIELD: <enter>
DEVICE: Virtual Right Margin: 80//
```

Figure 14-12: Sort and Print Criteria for the Insurer Fee Schedule Listing

The list will display the following. Note each Fee Schedule entry as the list is reviewed. These schedules may need to be updated with the fees for the newly released codes.

3P INSURER LIST INSURER	VISIT TYPE	BILLABLE STATUS	MAR 31,2020 FEE SCHEDULE	21:42	PAGE 1
UNITED HEALTHCARE-RA	INPATIENT	YES	1		

FIRST AMERICAN ADMIN	DENTAL	YES	1
NEVERPAY INSURANCE	OUTPATIENT	BILLAB	1
SNOW BIRD INSURANCE	OUTPATIENT	YES	1
BLACK COMPASS INSURA	OUTPATIENT	YES	1
COLORADO MEDICAID	AMBULATORY SU	YES	2
NEW MEXICO MEDICAID	EPSDT W/O REF	YES	6
MARITIME HEALTH PLAN	OPTOMETRY	YES	6
MISSISSIPPI MEDICAID	DENTAL	YES	7
NEW MEXICO MEDICAID	EPSDT W/REFER	YES	8
	MULTIPLE VISI	YES	8
BREAST & CERVICAL CA	OUTPATIENT	YES	9
O/P MEDI-CAL 9	OUTPATIENT	YES	10
NEBRASKA MEDICAID	OUTPATIENT	YES	10
PARTNERSHIP HEALTHPL	OUTPATIENT	YES	10
ANTHEM BLUE CROSS	OUTPATIENT	YES	10
PARTNERSHIP HEALTHPL	OUTPATIENT	YES	10

Figure 14-13: Displaying the List of Insurers that Contain a Fee Schedule entry

## 14.2.1.3 Updating the Fee Schedule

#### 3PB→TMTP→FETM→EDFE

The new CPT and HCPCS codes will need to be added to the current fee schedule so that it may be picked up in the Claim Generation process. To add the fees, use the entry from the previous section to determine which fee schedule to update and go to the Fee Schedule Maintenance option located in Third-Party Billing's Table Maintenance menu.

- 1. Type the **number** of the Fee Schedule to edit at the Select FEE SCHEDULE prompt and press Enter.
- 2. To edit the Laboratory code of 87635, type 4 at the Select Desired CATEGORY field and press Enter.
  - a. When adding the HCPCS codes of U0001 or U0002, type **8** at the Select Desired CATEGORY field and press Enter.
- 3. At the Select LABORATORY CPT CODE (or HCPCS CODE) prompt, type the **code** and press Enter. The system displays the description for the CPT or HCPCS code.
- 4. At the Select EFFECTIVE DATE field, type an **effective date** and press Enter. The effective date would more than likely be added as 01/01/2020.
- 5. The system will ask for a GLOBAL CHARGE amount. Type the **dollar amount** of the test charged and press Enter. At this time, only the GLOBAL charge is needed.
- 6. Press Enter at the TECHINCAL CHARGE field without typing in a charge.
- 7. Press Enter at the PROFESSIONAL CHARGE field without typing in a charge.

8. Continue to add charges for remaining CPT or HCPCS codes.

```
Select FEE SCHEDULE: 31// 31
                                 HISTORICAL FEE SCHEDULE (3/11/2018)
---- FEE SCHEDULE CATEGORIES ----
    Select one of the following:
                 MEDICAL FEES
SURGICAL FEES
                  RADIOLOGY FEES
                  LABORATORY FEES
                  ANESTHESIA FEES
                  DENTAL FEES
                  REVENUE CODE
                  HCPCS FEES
DRUG FEES
          10 CHARGE MASTER
Select Desired CATEGORY: 4 LABORATORY FEES
Select LABORATORY (CPT CODE): 87635 SARS-COV-2 COVID-19 AMP PRB
      INFECTIOUS AGENT DETECTION BY NUCLEIC ACID (DNA OR RNA); SEVERE
      RESPIRATORY SYNDROME CORONAVIRUS 2 (SARS-COV-2) (CORONAVIRUS DISEASE
 Are you adding '87635' as a new LABORATORY (CPT CODE)? No// YES (Yes)
Select EFFECTIVE DATE: 1/1/2020 JAN 01, 2020
GLOBAL CHARGE: 0// 85.00
TECHNICAL CHARGE: 0// <enter>
PROFESSIONAL CHARGE: 0// <enter>
```

Figure 14-14: Adding a Fee to the Fee Schedule

## 14.3 Addition of a Pending Status Code

Billing updates seem to evolve almost daily. Some locations are still waiting for final billing guidance either from Medicare or their Medicaid state.

The Third-Party Billing Technical Advisory Group (TAG) has approved a New Claims Pending status code. This code will be released in a future patch but if the code is needed to better track claims, the following may be added into RPMS by your RPMS System Administrator via VA FileMan.

```
Warning: DO NOT ADD ADDITIONAL CODES. Code updates use specific placeholders and additions may be overridden. New manual codes may also be removed with future patch updates.
```

To add the code, have your RPMS System Administrator perform these steps:

1. Access the VA FileMan Menu.

- 2. Type **Enter** to Enter or Edit File Entries and press Enter.
- 3. At INPUT TO WHAT FILE, type **3P CLAIM PENDING STATUS** and press Enter.
- 4. At the 3P CLAIM PENDING STATUS prompt, type **28** and press Enter. The system asks if you are adding a new entry.
- 5. Type **YES** and press Enter.
- 6. Type **Guidelines Pending-Public Health Emergency** at the STATUS field and press Enter. The system confirms the entry number by redisplaying 28//.
- 7. Press Enter past this field.

Once added, the code will be available for immediate use.

```
Select OPTION: ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: 3P CLAIM PENDING STATUS

Select 3P CLAIM PENDING STATUS: 28

Are you adding a new 3P CLAIM PENDING STATUS (the 28TH)? No// YES (Yes)

STATUS: Guidelines Pending-Public Health Emergency

3P CLAIM PENDING STATUS STATUS NUMBER: 28// <enter>
```

Figure 14-15: Adding a New Pending Status for the Claim Editor

## 15.0 What is Seen in RPMS

## 15.1 Service Categories

No additional service categories will be added at this time but know the difference between Telemedicine (M) and Telecommunications (T) and which one will be used by providers and coding. Both Service Categories are passed through the coding que and creates claims in Third Party Billing.

## 15.2 Clinic Stop Codes

A new Clinic Stop code has been distributed. Billers may see this clinic code for claims that generated where the patient is seen for initial COVID-19 testing.

• The clinic code is E8 – Public Health Emergency

Although a new clinic stop code has been added, not all providers may use this code. Scheduling clinics may use other types of clinic stop codes, such as Emergency Medicine, if the patient presented at the Emergency Room. Work with your coding and providers to determine what will be used for reporting in RPMS.

## 15.3 Coding Que

Telemedicine may be included into the coding que to be reviewed prior to the claim to be generated. Work with your coding department to ensure any new codes that have been added to the coding que has been communicated to the billing department.

## 15.4 Third Party Billing

Consider adding new visit types to identify the different billing services provided. This would be especially helpful if:

- A new service is being provided and the billing rules are different than billing for other service types.
- Current or future reporting of services provided, billed or if collections on certain services are needed. Visit Types will help to better report on how billing was performed.

## 15.4.1 UB-04 Point of Origin and Discharge Status Codes

The National Uniform Billing Committee who maintains the UB-04 paper claim form released the following guidance for reporting the point of origin code and discharge status codes:

## Point of Origin and Discharge Status Codes for Designated Disaster Alternate Care Sites

For claims involving patients transferred to or originating from designated disaster alternate care sites, the following codes are applicable:

- Point of Origin Code 6 Transfer from another Health Care Facility (not defined elsewhere in this code list)
- Patient Status Code 69 Discharged/transferred to a Designated Disaster Alternative Care Site.

Check the NUBC Website for updates at:

https://www.nubc.org/

#### 15.4.1.1 CMS-1500 Claim

The National Uniform Claim Committee has released guidance for use of a Condition Code to report Professional Component claims.

# NUCC Approves Use of Condition Code DR for Professional Claims for COVID-19 Related Claims, Effective Immediately

March 24, 2020

The NUCC has approved the use of Condition Code "DR – Disaster Related" effective immediately for COVID-19 related claims on the 1500 Claim Form and in the 837 Professional. The codes available for use for COVID-19 related claims are:

- Condition Code DR Disaster related; Reported at the claim level in Item Number 10D
- Modifier CR Catastrophe/disaster related; Reported at the service line level in Item Number 24D

The Centers for Medicare & Medicaid Services (CMS) recently released MLN Matters SE20011 on the use of Condition Code DR and Modifier CR for COVID-19 related Medicare claims. For Medicare, Condition Code DR is reported only in the institutional claim (electronic ASC X12 837I or paper UB-04). The NUCC has approved the use of Condition Code DR in the professional claim (electronic ASC X12 837P or paper 1500) due to the business need by other payers to identify COVID-19 related claims, as it can be used to trigger internal payer steps or processing of claims (e.g., a different routing of the claim for processing).

The complete list of Condition Codes available for use in the professional claim is available on the Condition Codes page under the Code Sets tab.

Check the NUCC Website for updates at: <a href="http://nucc.org/">http://nucc.org/</a>.

#### 15.4.2 Visit Location

Some facilities have initialized protocol for screening and treatment of patients suspected and confirmed of having COVID-19. Work with your registration, coding and providers to determine how the facility would be set up. A new visit location may not be immediately set up, as new locations must be requested and approved to get added to RPMS. Note all locations that have special set up protocols in place and make sure all billing staff know how visit data will be stored. Contact the OIT helpdesk for assistance in setting up a billing location.

#### 15.4.3 Laboratory Services

Most recently, the CPT Editorial Panel approved a new Category I Pathology and Laboratory code for novel coronavirus testing. This code is effective March 13, 2020.

• **87635** – Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19], amplified probe technique.

CPT® 87635 will be a child code under parent code 87471 Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique in the 2021 CPT® code set.

A <u>special edition CPT® Assistant</u> is publicly available, which provides guidance for using this new code.

Visit the AMA Web site for more information about this new code.

In RPMS, the new laboratory test for COVID-19 may look similar to the following screenshot. Work with your Laboratory Supervisor to confirm the name of any new tests.

```
PCC VISIT DISPLAY
                           Apr 01, 2020 11:10:42
                                                         Page: 3 of
                                                                           8
WHERE SEEN PREFERRED : Outpatient environment
WHERE SEEN SNOMED CT: 33022008
WHERE SEEN PREFERRED : Hospital-based outpatient department
FACE TO FACE SNOMED C: 308335008
FACE TO FACE PREFERRE: Patient encounter procedure
VISIT ID:
                      2DBGP-PAH
======== LABs =======
LAB TEST: xSARS-CoV-2 RNA, QL
LR ACCESSION NO.: SO 20 12
ORDER:
SPECIMEN:
                      NASOPHARYNGEAL MUCUS
SOURCE OF DATA INPUT: LAB
CURRENT STATUS FLAG: RESULTED
LOINC CODE: 94531-1
COLLECTION SAMPLE: SWAB-COVID19
COLLECTION DATE AND T: APR 01, 2020@11:09:56
```

ORDERING PROVIDER: WHITE, LESLIE
CLINIC: GENERAL
ORDERING DATE: APR 01, 2020@11:09:56
RESULT DATE AND TIME: APR 01, 2020@11:10:14
DATE/TIME ENTERED: APR 01, 2020@11:10:27
ENTERED BY: WHITE, LESLIE
DATE/TIME LAST MODIFI: APR 01, 2020@11:10:27
LAST MODIFIED BY: WHITE, LESLIE
CPT PTR: SARS COV2 (QUEST)
CPT - BILLABLE ITEMS: 87635||||90|; U0001|||90|
PROVIDER NARRATIVE: Well child visit, 13 years
SNOMED CT: 2472299010

Figure 15-1: Example of COVID-19 Laboratory Test from the Lab Package in the Visit File

## **Appendix A: References**

- CMS Internet-Only Manual (IOM), Publication 100-02, Benefit Policy Manual, Chapter 15, Section 270
- CMS IOM Publication 100-04, Claims Processing Manual, Chapter 12, Sections 190 190.7
- MLN Matters Article, MM10152 Elimination of the GT Modifier for Telehealth Services
- MLN Matters Article, MM10583 Revisions to the Telehealth Billing Requirements for Distant Site Services
- MLN Matters Article, MM10883 New Modifier for Expanding the Use of Telehealth for Individuals with Stroke
- Telehealth Services

## **Contact Information**

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

**Phone:** (888) 830-7280 (toll free)

Web: <a href="https://www.ihs.gov/itsupport/">https://www.ihs.gov/itsupport/</a>

Email: <u>itsupport@ihs.gov</u>