# Lummi Emergency and Teledental Care

Dr. Dubek

Dr. Giltner

Dr. Hudson

Dr. Todorovich

# Basic Principles for reduction of Covid spread and medical resource use

Provide prompt in-house dental emergency care → reduce E.D. load

Provide teledentistry → reduce in-house dental emergency needs, minimally invasive, gauge acuity of dental issue

Provide recall and oral hygiene appointments with hygienists and DHATs → further reduce emergency care, foster sense of community

Lummi will go LIVE Monday providing these services.

#### In-clinic safeguards for emergency care

Screening for COVID-19 status and triaging for dental treatment

Order nasal swab prior to dental treatment if concerned (beware false sense of

security)

Dentist and Dental Team prepare for patient

Clinic is set-up to decrease aerosol

Dentist and Dental Team place on proper PPEs prior to seeing patient

ADA guidelines are being utilized in conjunction with other measures

Are you experiencing dental pain?

Does the patient have a fever?

What is your pain level on a scale of 1 to 10?

Does diagnosis necessitate an aerosol-generating procedure? Is this patient scheduled for an emergency in-person appointment?

www.ada.org ADA Dental Tx Algorithm

### Personal Protective Equipment



Full attire includes:

- N95 mask
- Hair bonnet
- Face shield
- Lab coat
- Disposable covering
- Double glove



Dentist is able to utilize loupes with face shield

### Donning and Doffing-sequence matters!

To Don:

Gown $\rightarrow$  Respirator (place surgical mask over N95 if desired)  $\rightarrow$  Goggles/loupes  $\rightarrow$  face shield  $\rightarrow$  Gloves (double up, make sure glove extends to cover wrist of isolation gown)

To Doff:

Hand sanitizer on dirty gloves and remove outer gloves and gown together  $\rightarrow$  cavi wipe face shield and remove  $\rightarrow$  remove gloves  $\rightarrow$  remove respirator/mask  $\rightarrow$  wash hands immediately

## Safety Precautions for Clinic





#### Additional measures

- -Preprocedural CHX rinse and surgical site scrub with 0.2% Povidone
- -rubber dam, high-volume saliva ejectors
- -2 hour room cool off prior to turn over
- -no companions allowed into clinic

### Teledentistry - Basic workflow

Zoom meeting + intraoral camera + basic home-kits (if needed)

Description + intra-oral photo is usually enough to understand chief complaint and decide on strategy.

Many patients will need to be sent to the clinic for further eval and/or emergency treatment

Others can benefit from prescribed "home-kits"

#### Prescribed Dental "home-kits"

All packs include: Dental napkin, gloves, safety glasses, toothbruch povidone iodine, toothpaste, floss, fluoride varnish, trash bag, an printed instructions

- Dry socket: chlorhexidine, irrigation syringe, and alvogyl
- Periodontitis/pericoronitis: chlorhexidine and irrigation syringe
- **Dental decay/fractured restoration**: SDF and tempit
- Dental hypersensitivity: HEMA desensitizer and sensody toothpaste
- Denture: Fixodent, denture cleaner, and denture brush

