


**OPIOID**

**EHR**

**TRICKS**





#### 1. Chronic pain

Today I have reviewed the patient's experience with both non-opioid and non-pharmacologic pain management. I have conducted a thorough history and physical examination and evaluated the patient's risk for abuse, dependence, or diversion.

I have reviewed the PMP data where available using the NarxCare component within the EHR.

I have developed a treatment plan for the patient that utilizes a schedule 2 or opioid medication and will limit the use of this drug to seven days.

I have discussed with the patient the risk of addiction and overdose associated with opioid drugs and the dangers of taking opioid drugs with alcohol, benzodiazepines and other depressants.

I have explained why I believe this prescription to be necessary and also available alternative treatments such as non-opioid and/or non-controlled drug therapy and/or non-pharmacologic drug therapy.

I have discussed with the patient risks associated with the use of the drug(s) being prescribed, specifically that opioids are highly addictive, even when taken as prescribed, that there is a risk of developing a physical or psychological dependence on the controlled dangerous substance, and that the risks of taking more opioids than prescribed or mixing sedatives, benzodiazepines or alcohol with opioids can result in fatal respiratory depression.

#### NarxCare Scores

No Results Found

|




pt Formulary NSQIP


PM Conversation AdHoc Charges Patient Education M

e:4 years Dose Wt:

Ad Hoc Charting - ZZDEMO, ADA



- All Items
  - Admit/Discharge/Transfer
  - Ambulatory Care
  - Ambulatory POC
  - Ambulatory Referrals



- DMC Comprehensive Foot Exam
- Epworth Sleepiness Scale
- M-CHAT-R
- Opioid Treatment Agreement
- Pain Assessment Adult Amb
- Pain Assessment Pediatric Amb



\*Performed on: 08/25/2020 0953 CDT

By: Stallcup III MD, James William

✓ Opioid Treatment

## Opioid Treatment Agreement

### Opioid Treatment Agreement History

\*Opioid Treatment Agreement Start Date

08/26/2020

Opioid Treatment Agreement Expiration Date

08/26/2021

\*Opioid Treatment Agreement

- Current
- Cancelled
- Expired

\*Primary Pain Management Provider

Sprankell MD, Adam Graymoor

Secondary Pain Management Provider

Primary Pharmacy

Opioid Treatment Agreement Comment





## Opioid Treatment Agreement

You are attempting to place an opioid order on a patient with an active opioid treatment agreement and you have not been identified as an approved prescriber for this patient. Please contact the Primary Pain Management Provider and/or your organizational policies for more information.

Primary Pain Management Provider: Sprankell MD, Adam Graymoor

**Alert Action:**

- Remove order from scratchpad
- Override alert and continue

OK

161

Providers Treating Chronic Use Patients

1,758

Chronic Opioid Use Patients

823


Chronic Opioid Use Patients in Opioid Treatment Agreement

46.8%

% Chronic Opioid Use Patients in Opioid Treatment Agreement

### Chronic Opioid Use Patients in Treatment Agreement | Past 30 Days


(select to filter)



### Which Providers Did Not Document an Opioid Treatment Agreement for Chronic Use Patients?


#### Chronic Use Patients in Treatment Agreement by Specialty


(select to filter)



#### Providers Ordering Opioids for Chronic Use Patients

(select to filter or view details)








# HIGH RISK PATIENTS WITH NALOXONE RX (%)

— High risk patients with naloxone Rx (%)





## Which Providers are Provisioning Naloxone for High Risk Patients?

### High Risk Patients with Naloxone Provisioned by Specialty

(select to filter)

**Family Medicine**  
870 High Risk Patients  
140 High Risk Patients with Naloxone Provisioned  
83.9% High Risk Patients without Naloxone Provisioned

**Infectious Disease**  
163 High Risk Patients  
89 High Risk Patients with Naloxone Provisioned

### Providers Ordering Opioids for High Risk Patients

(select to filter)



Sample dashboard: not actual patient data

✓ Home Medications (10)

NarxCare ...

### New Order Entry

\* Recommended Results have not been retrieved for this component

Diagnoses

⚠ Warning. You are currently

### NarxCare- Last 2 years

\* PMP drug information not saved for this visit/encounter.

Disclaimer: PMP Gateway, NARxCHECK, and NarxCare rely upon data provided by state

361

Narcotics

140

Sedatives

040

Stimulants

[View Drug Report](#)

#### Narx Scores

Narcotic

Sedative

Stimulant

361

140

040

[Explanation and Guidance](#)

#### Overdose Risk Score

140

(Range 000-999)

[Explanation and Guidance](#)

#### Additional

[Explanation and Guidance](#)

This NarxCare report is based on search criteria supplied and the data entered by the dispensing pharmacy. For more information about any prescription, please contact the dispensing pharmacy or the prescriber. NarxCare scores and reports are intended to aid, not replace, medical decision making. None of the information presented should be used as sole justification for providing or refusing to provide medications. The information on this report is not warranted as accurate or complete.

#### Graphs

##### Rx Graph

Narcotic

Buprenorphine

Sedative

Stimulant

Other

All Prescribers



Timeline

08/25

2m


6m

1y

2y



Save to Chart



.nar|

## NarxCare Scores

NarxCare Narcotics Score: 361 (08/25/20 10:17:05)

NarxCare Sedatives Score: 140 (08/25/20 10:17:05)

NarxCare Stimulants Score: 040 (08/25/20 10:17:05)