



Update on IHS Influenza Vaccination Coverage, IHS 2019-2020 Influenza Season

CAPT THOMAS WEISER, MD, MPH
MEDICAL EPIDEMIOLOGIST,
PORTLAND AREA INDIAN HEALTH SERVICE






Source: IHS Influenza-like Illness Awareness System (IIAS)



- Overall flu vaccination coverage of 37.1% for IHS Active Clinical Population
- Increase in children vaccinated through Week 8


Source: IHS Influenza-like Illness Awareness System (IIAS)

Percent of Active Clinical Population with at least 1 dose of flu vaccine, by Area, 2019-2020




Source: IHS Influenza-like Illness Awareness System (IIAS)

Number of flu doses administered and Number of facilities reporting




Source: IHS Influenza-like Illness Awareness System (IIAS)

Percent of Active Clinical Population receiving at least 1 dose of flu vaccine



Source: IHS Influenza-like Illness Awareness System (IIAS)

Health Care Provider Influenza Vaccination Coverage by area 2018-19 and 2019-20 All Facilities (I/T/U)



Data Source: National Immunization Reporting System
Data as of March 31, 2020

N = 2018-2019; 28,685 HCP (110 facilities)
2019-2020; 22,413 HCP (85 facilities)
* Mid-season report

Best Practices for Influenza Vaccination

- Plan ahead, communicate, get buy-in from internal stakeholders
- Outreach to external stakeholders, community leaders during the planning phase
- Nurse-only immunization clinics daily, Pharmacy, ER, Inpatient
- Utilize standing orders, avoid missed opportunities by offering at every visit
- Look for opportunities to vaccinate beyond routine clinic visits- Schools, Community Centers, Parking lot “Drive-throughs”, elder programs, community events
- Advertise using local media resources, clinic facebook and websites
- Protect elders by vaccinating children, elders and those that care for them- everyone 6 months and older!