

The National Clinician Consultation Center: Supporting Clinicians to Provide Integrated HIV, HCV, and SUD care

Chris Bositis, MD

Clinical Director, National Clinician Consultation Center

University of California – San Francisco







The National Clinician Consultation Center: Supporting Clinicians to Provide Integrated HIV, HCV, and SUD care

Objectives

- Describe the services available to clinicians through the national HIV, PEP, PrEP, HCV, and SUD warmlines
- Review how and when clinicians can access these services
- Discuss how these services can support your efforts to end the syndemic by providing person-first integrated care

Established in 1993 as national service/component of the HRSA Ryan White HIV/AIDS Program. Early operationalization and scale-up of a <u>low</u> <u>barrier, distance-based clinical consultation service and capacity-building</u> <u>resource</u> ("Warmline"). Scope broadened to include viral hepatitis and substance use.
















and support

Our guiding principle & model: "low-barrier" support

phone and

website



respect for

callers


"Options, not answers;" agility to assist across varied practices, experiences, and resource landscapes

Flexibility



How to reach us, what to expect

	Clinicians don't need to	What we provide
•	Download any apps or special technology	Evidence-based, practical guidance from professional subject matter experts
•	 Clear their clinic schedules Memorize a patient's history Limit inquiries to complex scenarios or patient-specific questions: general questions welcome! PHI is never collected 	Confidential, individualized support
•		"Wrap-around" access to multi- disciplinary subspecialists
		 Happy to receive follow-up calls; can send resources by email – protocols, articles





Along with one-to-one support, we offer other clinical resources, capacity-building opportunities

- HIV-related clinical guides (e.g., PEP Quick Guide, PrEP Quick Guide, ARV tables with dosing and side effect information, HIV and pregnancy/ breastfeeding)
- Clinical webinars on HIV prevention and treatment, hepatitis C and substance use
- Chatbot for quick answers to common exposure-related questions 24-7

Sample case from the lines

- 33 yo M interested in quitting methamphetamine use
 - <u>HPI</u>:
 - Started smoking methamphetamine in January after moving in with a new partner; now daily use
 - Uses street-purchased alprazolam 1mg, gamma-hydroxybutyrate (GHB) for anxiety related to methamphetamine use and withdrawal 1-2x per week (when able to afford)
 - PMHx:
 - Depression, anxiety prior Tx w/ escitalopram 10mg; effective but discontinued 2/2 alcohol use
 - Alcohol use disorder ~half-pint vodka daily x4 years; withdrawal shakes, no DTs/seizures
 - Sexual Hx & SHx:
 - Lives with primary partner (M), but has "had bags packed for 3 months;" wants to move out
 - Condom-less anal receptive and insertive sex with primary partner + multiple other male partners
 - On PrEP many years; recently lost insurance and not taken it x1 month
 - Last condom-less receptive anal sex: 2 days ago, unknown partner
 - Reports recent onset of fevers/chills/myalgias



Examples of calls/questions from the lines

How to initiate buprenorphine in acute care settings – *dosing, titration, cross-tapers?*

Co-occurring OUD and pain – patient assessment, medication selection?


PrEP selection/dosing, monitoring – applying updated CDC guidance into practice?

HCV treatment access and DAA initiation, monitoring – what to do if treatment interruption/abbreviated treatment course occurs?

HIV screening/testing and ART decision-making

HIV and pregnancy

STI evaluation/management and PrEP/HIV



Who can call the NCCC?

- Any health care provider, including clinicians working in:
 - Primary care/ambulatory settings
 - Medical specialty settings
 - Substance use programs
 - Emergency rooms
 - Hospitals
 - Urgent care centers
- For providers who prefer to submit a consultation request electronically, they can visit our website and submit a case via the appropriate portal







The National Clinician Consultation Center is a free telephone advice service for clinicians, by clinicians. Please check out **ncc.ucsf.edu** for more information.

HIV/AIDS Warmline 800-933-3413

HIV treatment, ARV management, complications, and comorbidities

Perinatal HIV Hotline 888-448-8765

Pregnancy, breastfeeding and HIV

Hepatitis C Warmline 844-HEP-INFO/ 844-437-4636 HCV testing, staging, monitoring, treatment

Substance Use Warmline 855-300-3595

Substance use evaluation and management

PrEPline 855-HIV-PrEP

HIV pre-exposure prophylaxis

PEPline 888-448-4911

Occupational & nonoccupational exposure management

al Clinician Consultation Center

This National Clinician Consultation Center program is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as part of an award totaling \$2,633,756 with 0% financed with non-governmental sources.

The content in this presentation are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS, or the U.S. Government. For more information, please visit HRSA.gov.



Thank you! If you're interested in hard-copy materials, email chris.bositis@ucsf.edu

To learn more, please visit **nccc.ucsf.edu**



